

PL-TR-94-2092


# **A GEOLOGICAL AND GEOPHYSICAL INFORMATION SYSTEM FOR EURASIA, THE MIDDLE EAST AND NORTH AFRICA**

## **DIGITAL DATABASE DEVELOPMENT FOR THE MIDDLE EAST AND NORTH AFRICA**

**Muawia Barazangi  
Dogan Seber  
Marisa Vallve  
Eric Fielding  
Bryan Isacks**

**Cornell University  
Institute for the Study of the Continents (INSTOC)  
Snee Hall  
Ithaca, NY 14853**

**15 March 1995**



**Scientific Report No. 1**

**APPROVED FOR PUBLIC RELEASE, DISTRIBUTION UNLIMITED.**



**PHILLIPS LABORATORY  
Directorate of Geophysics  
AIR FORCE MATERIEL COMMAND  
HANSCOM AIR FORCE BASE, MA 01731-3010**

**DTIC QUALITY INSPECTED 5**


**19950731 059**


SPONSORED BY  
Advanced Research Projects Agency (DoD)  
Nuclear Monitoring Research Office  
ARPA ORDER NO 128

MONITORED BY  
Phillips Laboratory  
CONTRACT NO. F19628-93-C-0030

The views and conclusions contained in this document are those of the authors and should not be interpreted as representing the official policies, either express or implied, of the Air Force or the U.S. Government.

This technical report has been reviewed and is approved for publication.

  
JAMES F. LEWKOWICZ  
Contract Manager  
Earth Sciences Division

  
JAMES F. LEWKOWICZ, Director  
Earth Sciences Division

This report has been reviewed by the ESC Public Affairs Office (PA) and is releasable to the National Technical Information Service (NTIS).

Qualified requestors may obtain additional copies from the Defense Technical Information Center. All others should apply to the National Technical Information Service.

If your address has changed, or if you wish to be removed from the mailing list, or if the addressee is no longer employed by your organization, please notify PL/TSI, 29 Randolph Road, Hanscom AFB, MA 01731-3010. This will assist us in maintaining a current mailing list.

Do not return copies of this report unless contractual obligations or notices on a specific document requires that it be returned.

**REPORT DOCUMENTATION PAGE**

**Form Approved**  
**OMB No. 0704-0188**

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports: 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 15 March 1995		3. REPORT TYPE AND DATES COVERED Scientific No. 1	
4. TITLE AND SUBTITLE A Geological and Geophysical Information System for Eurasia, the Middle East and North Africa. Digital Database Development for the Middle East and North Africa.				5. FUNDING NUMBERS  PE 62301E PR NM93 TA GM WU AO  Contract F19628-93-K-0030	
6. AUTHOR(S) Muawia Barazangi                      Eric Fielding Dogan Seber                              Bryan Isacks Marisa Vallve					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Cornell University Institute for the Study of the Continents (INSTOC) Snee Hall Ithaca, NY 14853				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) Phillips Laboratory 29 Randolph Road Hanscom AFB, MA 01731-3010  Contract Manager: James Lewkowicz/GPE				10. SPONSORING / MONITORING AGENCY REPORT NUMBER  PL-TR-94-2092	
11. SUPPLEMENTARY NOTES					
12a. DISTRIBUTION / AVAILABILITY STATEMENT  Approved for public release; distribution unlimited				12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words)  With the anticipated completion of multilateral comprehensive nuclear test ban and nonproliferation treaties in the near future, it is essential for the monitoring efforts that multidisciplinary information on any given region is readily available and accessible in a digital, on-line format via electronic networks for use by concerned researchers and decision makers. Our objective is to collect and organize all available seismological, geophysical, and geological datasets for the Middle East and North Africa into a <u>digital</u> information system that is <u>accessible</u> via the Internet from Cornell and can be utilized by the International Data Center and by other ARPA/AFOSR/DOE/AFTAC researchers. We have begun with the depth of the Moho and basement and crustal velocity and density structures, primarily as interpreted from seismic refraction, gravity, and drill hole datasets. We have completed data from Egypt, Iran, Iraq, Israel, Jordan, Syria, Lebanon, and Saudi Arabia. We have also digitized key geologic features for the Middle East. All data are being stored in our Arc/Info Geographic Information System. We are maintaining a comprehensive bibliography of all the relevant references in a computer database. We are releasing preliminary versions of these databases in several different forms. Our Web address is "http://www.geo.cornell.edu/geology/me_na/main.html".					
14. SUBJECT TERMS Middle East                      Moho                      Geology North Africa                      3-D models                      Geographic Information System Crustal Structure                      Seismology                      Satellite imagery Geophysics				15. NUMBER OF PAGES 96	
				16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified		18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified		19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	
				20. LIMITATION OF ABSTRACT  SAR	

## TABLE OF CONTENTS

List of Figures .....	iv
1. Introduction .....	1
2. Digital Database Development .....	1
2.1. Geophysics .....	2
2.1.1. Gravity .....	2
2.1.2. Refraction .....	3
2.2. Geology .....	4
2.3. Satellite Imagery .....	4
2.4. Seismicity and Focal Mechanisms .....	4
2.5. Explosions .....	5
2.6. Bibliography .....	5
3. Status of Databases .....	6
3.1. Eurasia .....	6
3.2. Middle East .....	6
3.2.1. Egypt .....	6
3.2.2. Iran .....	6
3.2.3. Israel .....	7
3.2.4. Jordan .....	9
3.2.5. Saudi Arabia .....	9
3.2.6. Syria .....	10
3.2.7. Lebanon .....	11
3.2.8. Basement Map of the Middle East .....	11
3.3. North Africa .....	12
3.4. Chart of the World .....	12
4. Access to Databases .....	13
5. References .....	13
6. Figures .....	16
Appendix I: File formats .....	39
Figures .....	39
Data Files .....	39
Line files .....	39
Point files .....	40
AAT files .....	40
Appendix II: Release #1—Priority List .....	42
Appendix III: Bibliography of the Middle East and North Africa .....	45
Middle East: Geology .....	45
Middle East: Geophysics .....	60
North Africa: Geology .....	68
North Africa: Geophysics .....	75

By _____	
Distribution/____	
Availability Codes	
Dist	Avail and/or Special
A-1	



## LIST OF FIGURES

Figure 1: Map of the Middle East, showing locations of crustal profiles. Both refraction and gravity profiles are shown as *thick lines*. Coastlines and international borders are *thin solid lines*. A ten-degree latitude-longitude grid is overlain as *very thin solid lines*. Map is in a transverse Mercator projection centered at 42°E longitude.

PAGE 16

Figure 2(a): Map of the Middle East and North Africa showing earthquake locations extracted from the USGS/NEIC data base. The difference in the magnitudes is represented by the size of the circles. Seismicity shown covers the period of 1960-1990. A more comprehensive earthquake catalog will be developed in the future as part of our database.

PAGE 17

Figure 2(b): Map of the Middle East and North Africa showing focal mechanism solutions for the period 1977-1992 as reported by Harvard. A more complete catalog for different size earthquakes will be developed as part of our database.

PAGE 18

Figure 3: Map of the Middle East and North Africa showing only explosion locations (black triangles), extracted from the USGS database (1960-1990). We plan to considerably expand and update this important database.

PAGE 19

Figure 4: Contour map of Moho depth in Egypt derived from gravity and refraction data after Makris and others (1987). *Medium and thick solid lines* are contours on Moho. Contour depths are labeled in km. *Thick gray lines* mark locations of refraction profiles used to constrain Moho. *Very thin solid lines* are five-degree latitude and longitude grid.

PAGE 20

Figure 5: Location map of gravity interpretation profiles in Iran from Snyder and Barazangi (1986). The three profiles are *thick gray lines*. The Main Zagros Thrust (MZT) is the suture zone between the Arabian plate and the Eurasian plate and is shown as a *thick black line*, and the Zagros deformation front is shown as a *thick black dashed line*. Numbers 1-3 show profile numbers of Figure 6.

PAGE 21

Figure 6: Three crustal density profiles interpreted from gravity data by Snyder and Barazangi (1986). Densities are shown in  $\text{g-cm}^{-3}$  with the crustal interfaces (*thick solid lines*). The three profiles are aligned on the MZT, which is the "zero" of the distance scale. The profiles have been vertically exaggerated by a factor of two for better readability. See Figure 5 for location of these profiles.

PAGE 22

Figure 7: Location map for Israel, occupied areas, and nearby countries. Refraction profiles are shown by *thick black lines*, with Roman numbering, from Ginzburg and Folkman (1980) and Ginzburg and others (1981). Shot point locations are marked with *stars* and numbered with Arabic numerals. The approximate location of the Dead Sea Fault is shown with a *thick gray line* and transform motion marked with *arrows*. The two basins of the Dead Sea and the Sea of Galilee are *filled light gray*.

PAGE 23

Figure 8: Two-dimensional velocity structure interpretations of two Israeli refraction lines IIIa and IV running through northern and central Israel, respectively, from the Dead Sea to the Mediterranean, after Ginzburg and Folkman (1980) (see Figure 7 for locations). Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profiles are shown without vertical exaggeration.

PAGE 24

Figure 9: Two-dimensional velocity structure interpretation of Israeli refraction line VI running through southern Israel and northern Sinai, after Ginzburg and others (1981). Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profile is shown without vertical exaggeration at 1:2,000,000 scale. See Figure 7 for location.

PAGE 25

Figure 10: One-dimensional velocity structure beneath southern Israel and northern Sinai, derived from a Dead Sea shot and arrivals at receivers along line VI (Ginzburg and others, 1981). See Figure 7 for location and Figure 8 for structure of line VI.

PAGE 26

Figure 11: Composite interpretation of two-dimensional velocity structure along Dead Sea "rift" system after Ginzburg and others (1981). Refraction lines I, II and IIIb were shot along the western margin of the "leaky transform" running along the Gulf of Aqaba through the Dead Sea and Sea of Galilee. Note ~5 km thick transition zone above Moho. Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Deep interface within mantle was observed by wide-angle reflections. Profile is shown with vertical exaggeration, to enhance readability, at 1:4,000,000 horizontal scale. See Figure 7 for location of these profiles.

PAGE 27

Figure 12: One-dimensional velocity structure along the Jordan-Dead Sea Rift derived from shotpoint 4 and arrivals at receivers along line I and II, see Figure 7 for location of this shot point and the lines (Ginzburg and Makris, 1979) and Figure 11 for structure along these lines. The velocity transition zone above the Moho is shown by curved portion.

PAGE 28

Figure 13: Bouguer gravity map of Syria, Lebanon and Israel. Contour maps of Bouguer gravity anomalies were digitized and gridded using a 1 km grid cell size.

PAGE 29

Figure 14: Location map for Jordan. Refraction profiles and interpreted section A–B are shown by *thick black and gray lines* with Roman numbering for the refraction lines from El-Isa and others (1987). Shot point locations are marked with *stars* and numbered with Arabic numerals. The approximate location of the Dead Sea Fault is shown with a *thick gray line* and transform motion marked with *arrows*.

PAGE 30

Figure 15: One-dimensional velocity function beneath central Jordan derived from quarry explosion at shot point 3 and recorded along line II (El-Isa and others, 1987). Model 1 (*solid line*) corresponds to the two-dimensional model of Figure 16 and Model 2 (*dashed line*) corresponds to a reflectivity synthetic seismogram interpretation of the same data. See Figure 14 for location of line II.

PAGE 31

Figure 16: Two-dimensional velocity structure interpretation of Jordan refraction line II running through central and southeast Jordan, after El-Isa and others (1987). Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profile is shown without vertical exaggeration at 1:1,000,000 scale.

PAGE 32

Figure 17: Two-dimensional velocity structure interpretation of Jordan refraction line I running from central to northwest Jordan, after El-Isa and others (1987). Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profile is shown without vertical exaggeration at 1:1,000,000 scale. Note that there is a transition zone above the Moho in this interpretation of the line running east of the Dead Sea rift zone.

PAGE 33

Figure 18: Two-dimensional velocity structure composite section across southern Israel and Jordan, along line A–B of Figure 14, after El-Isa and others (1987). Interpretations of Israeli refraction lines V and II (which are nearly normal to the section) are combined with an interpretation of Jordan lines III and IV in southwestern Jordan. Refraction interfaces are shown by *thick lines*, with the associated velocities in km/s indicated. Profile is shown without vertical exaggeration at 1:1,000,000 scale. Note that there is a transition zone above the Moho in this interpretation east of the Dead Sea rift zone.

PAGE 34

Figure 19: Location map for the 1978 profile in Saudi Arabia after Healy and others (1982). Refraction profile receiver locations are shown by *thick gray lines*. Shot point locations are marked with *stars* and numbered with large Arabic numerals. The strike-line for the interpreted section is a *thick straight line*, with *small filled squares* marking projected Moho points with their depths indicated in km. The boundaries of the exposed Precambrian basement of the Arabian shield are shown as *thin solid lines*, with the Arabian platform sedimentary rocks to the east and the coastal plain sediments along the Red Sea rift to the west. The extensive Neogene-to-Recent mafic volcanics are *filled dark gray*. Map projection is Lambert conformal conic with standard parallels at 17°N and 33°N.

PAGE 35

Figure 20: Two-dimensional velocity structure interpretation of the 1978 Saudi Arabian refraction line running from the Red Sea to central Saudi Arabia, after Healy and others (1982) (see Figure 19 for location). Refraction and reflection interfaces and inferred iso-velocity lines are shown by *thick lines*, with the associated velocities in km/s indicated. Shot point locations are marked with *stars* at the top of the section. Distance is measured northeast from shot point 6. Note rapid structure change in transition zone from Arabian shield to Red Sea rift beneath shot point 5. Profile is shown with larger vertical exaggeration, to enhance readability, at 1:5,000,000 horizontal scale.

PAGE 36

Figure 21: Grid of thickness of sedimentary cover in most of the Middle East after Beydoun (1989). The white areas in the grid represent Precambrian basement outcrops.

PAGE 37

Figure 22: A cross section across the Arabian plate showing surface topography and seismic basement. See Figure 21 for location of this profile. The very thick sedimentary cover in the Mesopotamian foredeep could significantly affect the propagation characteristics of high-frequency crustal seismic phases, such as Pg and Lg.

PAGE 38



## **1. INTRODUCTION**

Crustal and lithospheric structure variations as well as major topographic relief along seismic wave propagation paths and at the source and receiver sites are crucial information to understand the excitation and propagation of high-frequency regional seismic phases, and other aspects of the problems of verification and estimation of the yield of nuclear and chemical explosions. Our objective is to collect and organize all available seismological, geophysical, topographical, and geological datasets for the Middle East and North Africa into a digital information system that is accessible via the Internet from Cornell and can be utilized by display programs running at the Center for Monitoring Research (CMR) and by other ARPA/AFOSR/DOE/AFTAC researchers.

We have begun a comprehensive effort to compile and digitize information on the crustal structure of the Middle East and North Africa to expand our existing database for Eurasia developed under previous contracts. Our first work has been in the Middle East where we are locating and digitizing published data on the depth of the Moho and basement and crustal velocity and density structures, primarily as interpreted from seismic refraction, gravity, and drill hole datasets. We are also maintaining a comprehensive bibliography of all the relevant references in a computer database. All data are being stored in our Arc/Info Geographic Information System (GIS), the most widely used full-featured GIS. The format of the files being released is detailed in Appendix I.

## **2. DIGITAL DATABASE DEVELOPMENT FOR THE MIDDLE EAST AND NORTH AFRICA**

Our first Release #1 of October 1993 (see Appendix II) detailed the priority list for our database development, and this is our first release of preliminary datasets. We are continuing to add more information to our database and plan to issue further interim releases as we progress toward our goal of a complete crustal structure database as well as other types of geophysical and geological databases for the Middle East and North Africa. We hope that these interim releases will be

useful to and used by other ARPA/AFOSR/DOE/AFTAC researchers studying the propagation of seismic phases in the Middle East and North Africa. In this first data release, we present some of the data interpretations country by country, including Egypt, Iran, Israel, Jordan, and Saudi Arabia. In the future, we will be integrating these individual observations and our own analyses into a regional gridded database of the best available information on crustal structure and velocities. This database can then be used to derive crustal structure profiles along any path through the region to compare with observations or simulate the propagation of regional seismic phases as described in the final report of our previous contract (Fielding and others, 1993).

## **2.1. Geophysics**

A number of seismic refraction lines of various types have been shot in many of the countries of the region. We are digitizing the locations of the lines, the interpreted sections, and the velocity-depth profiles from published papers. We also digitize the interpreted contours of the depth of Moho or other crustal boundaries where they are included in the published works. Several gravity interpretations of crustal structure have also been published in the Middle East and we are digitizing the interpreted sections and contour maps of Moho in a manner similar to that of the refraction data. A map showing the Middle East refraction and gravity profiles included in this release and several others that will be included in future releases is shown in Figure 1.

### **2.1.1. Gravity**

From gravity interpretation publications, we digitize the locations of the profiles of crustal density structure from the location map and convert them to latitude-longitude coordinates. We then digitize the major crustal interfaces of the gravity interpretation profiles and convert the lines to distance-depth coordinates in km, with distance measured from the "zero" origin chosen by the authors and depth negative below sea level. Each "arc" or interface is then assigned "attributes" that indicate the density above and below the interface (stored in the

Arc Attribute Table or AAT in Arc/Info). The profile and map data, including the interfaces and associated attributes, are brought into Adobe Illustrator for minor editing and labeling to produce final figures, such as Figure 1.

### **2.1.2. Refraction**

We digitize seismic refraction results from publications in a similar way. The locations of the receiver lines and shot points are digitized and converted to latitude-longitude geographic coordinates. The interfaces of interpreted refraction profiles available are digitized and converted into distance-depth coordinates in km. Then attributes are assigned to each interface to store the velocities above and below the interface in the AAT. We keep the same distance origin used by the authors, which is usually taken to be the location of a shot used for ray-tracing the 2-D velocity model. We also digitize 1-D velocity-depth functions by tracing the lines of figures and then convert them to velocity and depth coordinates in km/sec and km, respectively.

Contour maps of depth of the Moho or other crustal structures are digitized in Arc/Info by recording the depth value of each contour as an attribute of the "arc" or contour line. As for all maps, the locations are converted to geographic coordinates by taking known points and estimating the proper map projection parameters to invert the projection used in making the map.

These contour datasets are then converted into grids by using the topogrid command of Arc/Info software. Topogrid uses an iterative finite difference interpolation technique. Based upon the ANUDEM program developed by Hutchinson (1989), this procedure is specifically designed for creating hydrologically correct digital topography. However, it can be used for other purposes like gravity grids without drainage restrictions by turning the drainage enforcement off.



## ***2.2. Geology***

Our first efforts under this project have concentrated on geophysical data on crustal structure, but we plan to add more geological data in the future. Many geologic maps and information on stratigraphy and structure from sources such as drill holes are available throughout the Middle East and North Africa. These data will be useful to better understand the tectonic structure and development of the region, and especially useful for mapping the distribution of special geologic units such as salt beds that have a large effect on the generation or propagation of seismic signals. A few of the major tectonic features in the Middle East have been digitized at a relatively crude scale suitable for regional maps and are shown on some of the figures in this report.

## ***2.3. Satellite Imagery***

Under other projects at Cornell, we have acquired some digital satellite imagery for areas of the Middle East, North Africa, and Eurasia. The most extensive coverage are complete sets of Landsat Multispectral Scanner (MSS) images for Syria and Morocco. A big advantage of Landsat MSS scenes is that they are not copyrighted and are freely shareable with other researchers.

## ***2.4. Seismicity and Focal Mechanisms***

The hypocenters located between 50°N 10°S and 70°E 20°W, were extracted from two different sources: the International Seismological Center (ISC) and the United States Geological Survey (USGS). The catalog from the ISC includes events from January 1964 through August 1987, while the one from the USGS includes events from 2000 B.C. through December 1990. Each event in the data base is described according to date, time, latitude, longitude, magnitude, depth, intensity and associated phenomena. An Arc/Info coverage has been generated from the USGS data base (Figure 2a) and the characteristics of each event have been included as separate items in the point attribute tables (.PAT) for this coverage. In the future, the ISC data base will be converted into an Arc/Info

coverage. We also plan to create a more comprehensive and complete catalog of earthquakes in the region. Figure 2b shows the Harvard database of focal mechanism solutions in our region. A more complete focal mechanism catalog will be developed based on all available literature.

## ***2.5. Explosions***

The USGS/NEIC data base includes identified explosions. All the explosions in the Middle East and North Africa region are extracted from the Arc/Info coverage and shown in Figure 3. There are other explosion sites in the region. In future releases we will provide a map of large industrial explosion sites in the Middle East and North Africa.

## ***2.6. Bibliography***

We are building our bibliographic database (see Appendix III) in the Macintosh program called HyperCard (which comes bundled with every Macintosh). References to books, journal articles, reports and other published literature are stored with the usual information on title, date, authors, journal, page numbers, etc. and with searchable keywords on the content. Automatically (by keyword search) or manually selected subsets of the HyperCard dataset can be extracted and formatted in a variety of formats. This is becoming a comprehensive database of crustal structure, geology, and geophysics literature for the Middle East and North Africa, and we have copies of nearly all the references, including many hard-to-find reports, in our files. We continue to add to this bibliographic database, but we are releasing this preliminary version now to aid other researchers.

### **3. STATUS OF DATABASES**

#### ***3.1. Eurasia***

All of the crustal structure databases produced for Europe and Asia under our previous contracts continue to be available via "anonymous ftp" and our raster server. We continue to fill requests for these databases from seismic researchers around the world under ARPA/AFOSR/DOE/AFTAC contracts.

#### ***3.2. Middle East***

##### ***3.2.1. Egypt***

Both gravity and deep seismic refraction data have been collected in Egypt. A dissertation by Marzouk (1988) describes much of the data.

We digitized a contour map of the depth to the Moho that is based on gravity and refraction data (Figure 4). We also digitized a contour map of Bouguer gravity anomalies of this area. Grids have been built by using the topogrid command of Arc/Info.

Most of Egypt has crust 30-33 km thick, but it thins dramatically in the Red Sea rift zone to 20 km or less. Only the beginning of the crustal thinning of the Red Sea rift is shown in Figure 4. Southern and western Egypt has thicker crust reaching more than 35 km, while the northernmost part of Egypt includes part of the transition into the Mediterranean oceanic crust with crust down to 27 km thick at the coastline. The sediment thicknesses increase gradually to the north in Egypt where the large delta of the Nile extends into the Mediterranean.

##### ***3.2.2. Iran***

We have begun our database for Iran with the digitization of the crustal structure profiles interpreted from gravity data by Snyder and Barazangi (1986). The locations of the three profiles of crustal density structure, interpreted primarily from gravity, were digitized from the location map and are shown in

Figure 5, along with two of the major tectonic features of the area digitized from the same location map, the Main Zagros Thrust (MZT) and the Zagros deformation front. The MZT was used by Snyder and Barazangi for the origin or zero "distance" location on the three profiles.

We digitized the major crustal interfaces of the three profiles and converted them to km, with distance measured positive NE from the MZT and depth negative below sea level. The profiles are shown together on Figure 6, with a vertical exaggeration to make the crustal features more visible. Note that the major change in Moho depth is the crustal root of the high elevation part of the Zagros, in the region of the MZT, which reaches down past 60 km depth. Much of the rest of Iran, the Arabian/Persian Gulf, and northeast margin of the Arabian plate has Moho depths close to 40 km depth.

A Bouguer gravity grid has been built for the Zagros Mountains in Iran, Iraq and nearby regions, from a point data set. In addition, a contour map was generated from this grid. Free air gravity values are also available for the area and the same procedure is in process to obtain both the grid and the contours.

### **3.2.3. Israel**

Deep seismic refraction data were collected along six profiles in Israel and occupied territories in 1977 and first described by Ginzburg and others (1979a, b). Large shots in the Dead Sea, Mediterranean, and Gulf of Aqaba provided strong sources. The detailed interpretation of the refraction profiles are described by Ginzburg and Folkman (1980) and Ginzburg and others (1981). In addition, four shorter refraction profiles were shot across central and northern Israel by the Israel National Oil Co., only one of which was long enough to provide data on the deep crust (Ginzburg and Folkman, 1980). The locations of the profiles were digitized and are shown on Figure 7. Also shown on Figure 7 are the locations of the shot points 1–8 used in the 1977 survey. Their naming scheme for refraction receiver lines used line 3 for the longest of the oil exploration profiles and lines I–VI for the 1977 profiles, but to avoid confusion on our figures between shot point numbers and line numbers, we have renamed the line 3 as line IIIa and the 1977 line III as line IIIb. The location of the major tectonic feature in the Israel/Jordan

area, the Dead Sea fault system, which forms the margins of the Dead Sea "rift" and marks the "leaky transform" plate boundary between the Arabian Plate to the east and the Mediterranean plate to the west has been digitized and plotted on Figure 7 for reference.

All of the interpreted 1D and 2D velocity structure figures of Ginzburg and Folkman (1980) and Ginzburg and others (1981) have been digitized. The crustal structure of northern and central Israel is shown on Figure 8 by interpretations of the two refraction lines (IIIa and IV) running from the Dead Sea to the Mediterranean (Ginzburg and Folkman, 1980). The structure of the northern Sinai and southern Israel from line VI is shown in Figure 9 (Ginzburg and others, 1981). The depth of the Moho between the Dead Sea and the Mediterranean decreases northward from more than 40 km in the Sinai to less than 25 km in northern Israel. The crustal thickness also decreases and sediment thickness increases towards the Dead Sea and Mediterranean. The one-dimensional velocity-depth function for line VI is shown in Figure 10.

The crustal structure of the Dead Sea "rift" from the Sea of Galilee to the Gulf of Aqaba is shown by the composite section of Figure 11 (from lines I, II, and IIIb) and the profiles of individual ray tracing models (Ginzburg and others, 1981). The large shots at shot point 4 in the Dead Sea provided good records out to long distances. The amplitude variations of secondary arrivals indicate the presence of a 5 km thick transition zone at the base of the crust with a gradation in P velocity from 6.72 to 7.9 km/s, and this zone is interpreted to extend along the entire composite section of the "rift". The depth to the Moho varies slowly from a maximum of about 35 km near Elat to about 27 km on the western margin of the southern Gulf of Aqaba and about 30 km in the north. A one-dimensional velocity-depth function is shown in Figure 12 for the Dead Sea shot point 4 along the "rift".

A contour map of Bouguer gravity of Israel has been digitized (Ginzburg and others, 1993) and a grid has been built from it. This grid has been merged with the grids for Lebanon and Syria (Khair and others, 1993; Best and others, 1990) (Figure 13). To be able to append these adjacent grids, the contours have been smoothed and joined through the country borders.

### **3.2.4. Jordan**

A set of four refraction lines were collected in Jordan in May 1984 by the University of Jordan, Amman with the Institutes of Geophysics of Hamburg and Karlsruhe Universities (El Isa and others, 1987). We have digitized the line and shot-point locations, shown as Figure 14. Also shown on Figure 14 is the location of the Dead Sea fault system. The best long-range refraction results were obtained using large shots at shot-points 1 to 5, with recordings out to 200 km distances at a station spacing of 5 km along lines I to IV. A more detailed short-range dataset was collected along line II with smaller shots at shot-points 6 to 10 with stations out to 30 km distance and a station spacing of 1 to 2 km.

One-, two-, and three-dimensional velocity structures were interpreted and published by El Isa and others (1987), and we have digitized the one- and two-dimensional figures (due to perspective distortion it is not possible to digitize the three-dimensional figure). The one-dimensional velocity-depth functions beneath central Jordan are shown in Figure 15, derived from quarry explosion at shot point 3 and recorded along line II. Model 1 corresponds to the two-dimensional model of Figure 16 and Model 2 corresponds to a reflectivity synthetic seismogram interpretation of the same data. The two-dimensional velocity-depth-distance profiles are shown in Figures 16-18. The depth to Moho is between 30 and 40 km for all of Jordan, shallower to the west (closer to the Dead Sea rift) and deeper to the east. Depth to crystalline basement increases towards the northeast from zero at the Precambrian (Proterozoic) surface outcrops in the southwest corner of Jordan to about 5 km in central Jordan.

### **3.2.5. Saudi Arabia**

Two deep refraction surveys have been shot in Saudi Arabia, one very long profile was collected across southern Saudi Arabia, and several shorter profiles were collected in NW Saudi Arabia in collaboration with German researchers. The ~1000 km long refraction line from the Farasan Islands in the Red Sea across to the other side of the Arabian Shield in central Saudi Arabia was conducted mostly by the USGS in 1978 (Blank and others, 1979; Healy and others, 1982; Mooney and others, 1985). The locations of the receiver arrays were digitized from the 1:2,000,000 scale map of Plate 7 of Healy and others (1982) and are shown on

Figure 19, along with the digitized locations of the seven shot points (two shot points were located close together and are both adjacent to the label 6 on the figure).

An IASPEI workshop was held in 1980 to compare a wide variety of different interpretations of the 1978 refraction profile data and the results were published in a proceedings volume (Mooney and Prodehl, 1984). The interpretations were quite similar in the relatively simple Arabian shield area, but varied widely in the transition into the Red Sea rift where the velocity structure changes rapidly. We chose to start with the interpretation of the USGS group for our database. The large 1:2,000,000-scale interpreted section in Plate 9 of Healy and others (1982), which is similar to that of Mooney and others (1985), was digitized, converted to distance-depth coordinates in km, and plotted in Figure 20.

The next step was to convert the distance-depth coordinates of the interpreted section (Figure 20; Healy and others, 1982) to geographic coordinates that can be plotted on a map. We selected the interpreted Moho interface from the database, converted the vertices along the Moho to points, and then projected the points onto a strike-line running along the length of the refraction survey to obtain latitude-longitude-depth triplets for points of the Moho. The strike-line and Moho points are shown on Figure 19, with the depth of the points in km below sea level marked next to the point locations. In this interpretation from Healy and others (1982), the steepest slope of the Moho from about 38 km to 18 km depth occurs beneath shot point 5, some 50 km inland of the present Red Sea coastline, near the position of the topographic scarp, the Hijaz-Asir escarpment, that marks the edge of the rift zone and the beginning of the sediments of the coastal plain. On the Arabian shield, where Precambrian basement is exposed, the Moho is close to 40 km deep and the P velocities start over 6 km/s at the surface. At the NNE end of the profile, a thin layer of Phanerozoic sediments cover the basement surface that gently slopes eastward under the Arabian platform.

### 3.2.6. Syria

No deep refraction data have been collected in Syria, but several DSS lines with detailed information on the upper and middle crust were shot. These profiles

have been reinterpreted at Cornell (using the original analog seismic recordings) and provide excellent information on the thickness of the sedimentary basins and depth to basement in Syria (Seber and others, 1993). An ongoing Cornell collaboration with the Syrian Petroleum Company has brought to Cornell many other datasets for Syria, including seismic reflection lines, drill hole, and gravity data. Maps and cross sections showing the results will be presented in future releases.

The gravity data have already been digitized and gridded with 1000 meters cell size (Figure 13).

### **3.2.7. Lebanon**

The contours from a Bouguer gravity map of Lebanon (Khair and others, 1993) have been digitized. From this Arc/Info coverage a grid has been built by using topogrid with 1000 meters cell size. The contours were appropriately joined to that from Syria and Israel so the appended Syria-Lebanon-Israel grid does not show abrupt changes in the country borders (see Figure 13).

### **3.2.8. Basement Map of the Middle East**

We have digitized a preliminary map of the thickness of sedimentary cover for most of the Middle East (Figure 21). This map was prepared by Beydoun (1989) and shows the major variations in sedimentary thickness for the area. The western part of the Arabian plate, the Arabian shield, has Precambrian basement exposed at the surface, and the basement slopes eastward under sediments up to 45,000 ft (~14 km) thick in the Zagros. To the west of the Arabian shield, a steep scarp forms the edge of the Red Sea rift zone with up to 15,000 ft (~4.5 km) of sediments. This map should only be used to get an overall view of the sediment thicknesses. We converted the depths to metric units and generated a grid from these contours (Figure 21). Figure 22 shows an example of a cross section across the Arabian plate showing surface topography and seismic basement. The very thick sedimentary cover in the Mesopotamian foredeep could significantly affect



the propagation characteristics of high- frequency crustal seismic phases, such as Pg and Lg.

We will improve and expand this database with more accurate and extensive information in our next release.

### ***3.3. North Africa***

An extensive point dataset of Bouguer and free air gravity values from the Bureau Gravimetrique International (BGI), allowed the generation of a gravity grid of North Africa. The density of the spatial distribution of the data varies considerably for different areas. The best represented countries are Morocco and Egypt. These grids have been generated with 1000 meters cell size for small areas and then merged together by using the Arc/Info Grid function, mosaic. It uses a weighted average method on the overlapping areas giving smooth transition. More work is still required before we make this database available via the network. Moreover, we expect to include considerably more geophysical and geological databases for North Africa in a future release.

### ***3.4. Chart of the World***

The Digital Chart of the world is a 1:1,000,000 scale basemap of the world published by the USGS. This database is originally divided in 5° by 5° tiles. The tiles have been appended together as well as their arc, point, and polygon attribute tables in a region covering the Middle East and North Africa. These descriptive attributes are codes in the individual tiles (i.e., popytype = 1 indicates land, and popytype = 2 indicates oceans). However, after appending the tiles, new character-type items were added, describing the code numbers for each attribute table. The following layers are available: "Drainage", "Physiography", "Political and Oceans", "Populated place", "Roads, Railroads and Transport Structure" and "Utility".

#### 4. ACCESS TO DATABASES

We are releasing these databases in several different forms, all accessible over the Internet. We are now using the well-established anonymous FTP protocol, but we are also using the World-Wide Web (WWW) protocols that are rapidly increasing in popularity on the Internet due to their more sophisticated functions and the excellent Mosaic client program available from the National Center for Supercomputing Applications (NCSA). In particular, the Mosaic client and Gopher servers can be used to create custom figures on a remote system that can be viewed on a local workstation. Mosaic versions now run on most X workstations, Macintoshes and PC-compatibles under Windows. Our Web address is "[http://www.geo.cornell.edu/geology/me\\_na/main.html](http://www.geo.cornell.edu/geology/me_na/main.html)".

Our anonymous FTP server is [hugo.geo.cornell.edu](http://hugo.geo.cornell.edu) and the data are stored in the `pub/arpa` directory and subdirectories. There is a new subdirectory `pub/arpa/mideast` with further subdirectories below that for each country described above. We are releasing the data in several different forms on the FTP server, the finished figures of this report in PostScript and Adobe Illustrator form, and the raw data in flat ASCII files as extracted from Arc/Info. The PostScript files (with the ".ps" suffix) can be printed on PostScript printers. The Adobe Illustrator files (with the ".ai" suffix) can be read by drawing and page layout programs that can handle Illustrator v. 3 format files, including the Adobe Illustrator v. 3.5 available for Sun workstations. The raw data files have several different formats for different types of information, and the file formats are explained in Appendix I (below) and in "README" files for each type available on the FTP server. Please address all questions, comments, and suggestions on the format and content of our network database to "[seber@geology.cornell.edu](mailto:seber@geology.cornell.edu)".


#### 5. REFERENCES

- Best, J. A., M. Barazangi, D. Al-Saad, T. Sawaf, and A. Gebran, Bouguer gravity trends and crustal structure of the Palmyride mountain belt and surrounding northern Arabian platform beneath Syria, *Geology*, 18, 1235-1239, 1990.

- Beydoun, Z.R., Hydrocarbon potential of the deep (pre-Mesozoic) formations in the Middle East Arab countries, in *Technical Papers Presented at the Seminar on Deep Formations in the Arab Countries: Hydrocarbon Potential and Exploration Techniques*, Abu Dhabi National Oil Company, Abu Dhabi, UAE, 1989.
- Blank, H.R., J.H. Healy, J.C. Roller, R. Lamson, F. Fischer, R. McClearn, and S. Allen, Seismic refraction profile, Kingdom of Saudi Arabia, field operations, instrumentation, and initial results, *U.S. Geological Survey Saudi Arabian Mission Project Report 259*, 49 p., 1979.
- El-Isa, Z., J. Mechie, C. Prodehl, J. Makris, and R. Rihm, A crustal structure study of Jordan derived from seismic refraction data., *Tectonophysics*, 138, 235-253, 1987.
- Fielding, E.J., Barazangi, M., and Isacks, B.L., A geological and geophysical database for Eurasia, *Final Technical Report, ARPA NMRO #F29601-91-K-DB08*, Cornell University, Ithaca, NY, 38 p., 1993.
- Ginzburg, A., and Y. Folkman, The crustal structure between the Dead Sea Rift and the Mediterranean Sea, *Earth Planet. Sci. Lett.*, 51 (1), 181-188, 1980.
- Ginzburg, A., Y. Folkman, M. Rybacov, Y. Rotstein, R. Assael, and Z. Yuval. Israel, Bouguer Gravity map. The Institute for Petroleum Research and Geophysics, 1993.
- Ginzburg, A., J. Makris, K. Fuchs, and C. Prodehl, The structure of the crust and upper mantle in the Dead Sea Rift., *Tectonophysics*, 80, 109-119, 1981.
- Ginzburg, A., J. Makris, K. Fuchs, C. Prodehl, W. Kaminski, and U. Amitai, A seismic study of the crust and upper mantle of the Jordan-Dead Sea rift and their transition toward the Mediterranean Sea, *J. Geophys. Res.*, 84 (B4), 1569-1582, 1979a.
- Ginzburg, A., J. Makris, K. Fuchs, B. Perathoner, and C. Prodehl, Detailed structure of the crust and upper mantle along the Jordan-Dead Sea rift, *J. Geophys. Res.*, 84 (B10), 5605-5612, 1979b.
- Healy, J.H., W.D. Mooney, H.R. Blank, M.E. Gettings, W.M. Kohler, R.J. Lamson, and L.E. Leone, Saudi Arabian seismic deep-refraction profile: Final project report, *U. S. Geological Survey Open-File Report USGS-OF-02-37*, 370 p., 9 plates, 1982.
- Hutchinson, M.F., A new procedure for gridding elevation and stream line data with automatic removal of spurious pits. *Journal of Hydrology*, 106, 211-232, 1989.
- Khair, K., M. Khawlie, F. Haddad, M. Barazangi, D. Seber, and T. Chaimov, Bouguer gravity and crustal structure of the Dead Sea transform fault and adjacent mountain belts in Lebanon, *Geology*, 21, 739-742, 1993.

- Makris, J., R. Rihm, and A. Allam, Some geophysical aspects of the evolution and structure of the crust in Egypt, *in* El-Gaby, S., and R.O. Greiling (Eds.), *The Pan-African Belt of Northeast Africa and Adjacent Areas*, Friedr. Vieweg & Sohn, Braunschweig, p. 345-369, 1987.
- Marzouk, I. A., Study of crustal structure of Egypt deduced from deep seismic and gravity data, *Ph.D. dissertation, University of Hamburg*, 118 p., 1988.
- Mooney, W. D., and Prodehl, C. (eds.), Proceedings of the 1980 workshop of the International Association of Seismology and Physics of the Earth's Interior on the seismic modeling of laterally varying structures: Contributions based on data from the 1978 Saudi Arabian refraction profile, *U.S. Geological Survey Circular 937*, 158 p., 1984.
- Mooney, W. D., M. E. Gettings, H. R. Blank, and J. H. Healy, Saudi Arabian seismic-refraction profile; a traveltime interpretation of crustal and upper mantle structure, *Tectonophysics*, *111* (3-4), 173-246, 1985.
- Seber, D., M. Barazangi, T. Chaimov, D. Al-saad, T. Sawaf and M. Khaddour, Upper crustal velocity structure and basement morphology beneath intracontinental Palmyride fold-thrust belt and north Arabian platform in Syria, *Geophys. J. Int.*, *113*, 752-766, 1993.
- Snyder, D. B., and M. Barazangi, Deep crustal structure and flexure of the Arabian Plate beneath the Zagros collisional mountain belt as inferred from gravity observations, *Tectonics*, *5* (3), 361-373, 1986.

## Middle East crustal profiles



Transverse Mercator projection

scale 1:25,000,000

Figure 1

**Seismicity of the Middle East and North Africa (1960-1990)**




Figure 2(a)

**Focal Mechanism Solutions of the Middle East and North Africa (1977-1992)**




Figure 2(b)



**Explosions in the Middle East and North Africa (1960-1990)**





Figure 3



## Egypt Moho depth



Transverse Mercator projection

Figure 4

## Iran profiles




Figure 5





Figure 6



scale 1:3,000,000

Figure 7




Figure 8




Figure 9






Figure 10





Figure 11





vertical scale 1:500,000

Figure 12

### Bouguer Gravity Map of Syria, Lebanon and Israel




Figure 13






Figure 14




vertical scale 1:250,000

Figure 15



scale 1:1,000,000

Figure 16



scale 1:1,000,000

Figure 17






Figure 18






Figure 19





Figure 20

## Middle East thickness of sedimentary cover



Transverse Mercator projection

Figure 21




Figure 22

## **APPENDIX I: FILE FORMATS**

This is a description of the formats of the files from release #2 on our anonymous FTP server. Please address all questions, comments, and suggestions on the format and content of our network database to "seber@geology.cornell.edu".

### ***Figures***

The PostScript files (with the ".ps" suffix) are for the figures contained in this report and can be printed on PostScript printers. These files were created by Adobe Illustrator v. 3.5 and conform to Adobe PostScript standard v. 3.

The Adobe Illustrator files (with the ".ai" suffix) are for the same figures and can be read by drawing and page layout programs that can handle Illustrator v. 3 format files, including Adobe Illustrator v. 3.5 available for Sun workstations.

### ***Data Files***

The raw data files, extracted from Arc/Info, have several different flat ASCII formats for different types of information, and the file formats are explained below and in "README" files for each type available on the FTP server.

### ***Line files***

The files with the ".line" suffix contain "arcs" or line data such as refraction line locations or crustal interfaces. These files were extracted from Arc/Info with the UNGENERATE LINE command, and can be reloaded into Arc/Info with the GENERATE and LINE commands. The lines are stored with an arc ID number for each line and a list of coordinates for the vertices along the line. The coordinates

are either in "geographic" latitude-longitude coordinates in decimal degrees (denoted ".dd.line") or in distance-depth coordinates in km (denoted ".km.line"), with depth positive upward and negative below sea level. The line files look like this (*italics indicates comments*):

```
arcID (integer)
x1 (longitude or distance), y1 (latitude or elevation) (floats)
x2, y2
.
.
.
xn, yn
END (end of this line)
arcID
x1, y1
...
xn, yn
END
END (end of file)
```

## Point files

The files with the ".point" suffix contain point data such as shot-point locations or Moho depth points. These files were extracted from Arc/Info with the UNGENERATE POINT command, and can be reloaded into Arc/Info with the GENERATE and POINT commands. The points are stored with a point ID number and coordinates for each point. The coordinates are either in "geographic" latitude-longitude coordinates in decimal degrees (denoted ".dd.point") or in distance-depth coordinates in km (denoted ".km.point"), with depth positive upward and negative below sea level. The point files look like this (*italics indicates comments*):

```
pointID (integer), x1 (longitude or distance), y1 (latitude or elevation) (floats)
pointID, x2, y2
...
pointID, xn, yn
END (end of file)
```

## AAT files

The files with the ".aat" suffix contain arc attribute data such as velocities above and below crustal interfaces. These files are a simple ASCII listing of the

AAT (Arc Attribute Table) in Arc/Info. They were created with the PRINT command in INFO, and can be loaded with the ADD FROM command of INFO. The AAT files for the 2-D crustal sections (.km.aat suffix) contain the P velocities in km/s (for refraction profiles) or densities in g/cm<sup>3</sup> (for gravity profiles) for each interface (referenced according to the arclD) in the following format:

arclD (*integer*) vel\_above vel\_below (*floats*) *for refraction profiles*

arclD (*integer*) dens\_above dens\_below (*floats*) *for gravity profiles*

...

The AAT files for the contour line maps (.dd.aat suffix) contain the depths or thicknesses for the interface or layer in km. The arclD is again used for reference, but in this case the arclD may not be unique because it is usually set to an integer version of the depth (multiplied times 10 if the contours do not have integer intervals). Depths are negative below sea level. The file has the following format:

arclD (*integer*) depth (*or thickness*) (*float*)

...



## **APPENDIX II: RELEASE #1 PRIORITY LIST**

The following is a brief outline of the planned datasets to be made available to ARPA/AFOSR/DOE/AFTAC research community and any other interested researchers. The items are listed in order of decreasing priority, based on our perception and ARPA of the most immediate data needs. The crustal structure databases seems to be the most useful to a wide variety of studies and are put at the top of the list.

### ***Crustal Structure Databases***

#### **Depth to Moho map**

##### refraction

**Egypt  
Iran  
Israel  
Jordan  
Mediterranean  
Morocco  
Red Sea  
Saudi Arabia  
Tunisia**

##### gravity

**Egypt  
Iran  
Iraq  
Israel  
Jordan  
Lebanon  
Mediterranean  
Morocco  
Red Sea  
Saudi Arabia  
Syria**

#### **Depth to basement map**

Most of the following types of data are available for the Middle East and North Africa, however resolution and quality varies widely across the area.

##### refraction

##### well data

##### geological mapping

gravity  
reflection  
magnetics

## **Velocity profiles**

Mainly based on refraction profiles and also some surface wave studies.

## **Lg propagation**

## ***Bibliography***

A comprehensive listing of references on the area is available at Cornell and is being entered into a database system on the Macintosh (HyperCard). Printouts can be made in a variety of formats with various search parameters.

## ***Other Digital Databases***

### **Landsat MSS imagery**

Morocco  
Syria  
Lebanon  
Israel-partial  
Iraq-partial  
Jordan-partial  
Turkey-partial

### **Locations of explosions**

Morocco  
Jordan  
Syria  
Saudi Arabia

### **Middle East and North Africa EQ catalog** local and international network locations 1900–1989

**Gravity**  
Syria

Lebanon  
Morocco  
Israel  
Egypt

**Focal mechanism catalog**

extensive listings since 1960's to be entered into digital form

**Earthquake waveforms**

***Upper Mantle Structure***

**Pn mapping and Pn tomography**

**Sn propagation**

**Surface wave studies**

**Body wave inversion**

**Q and attenuation studies**

***Locations and Other Parameters of Seismic Stations***

**Morocco network**

**Syria network**

**Jordan network**

**Israel network**

**Saudi network**

***Regional Geoscience Transect Sections and Maps***

### **APPENDIX III BIBLIOGRAPHY OF THE MIDDLE EAST AND NORTH AMERICA**

**MARCH 1995**

Note that this is a preliminary release, and we will be improving and updating this bibliography with time. New versions will supersede this version in the future. The references have been separated into four categories below: Middle East Geology, Middle East Geophysics, North Africa Geology, and North Africa Geophysics.

#### **MIDDLE EAST: GEOLOGY**

- Abdel-Monem, A.A., and M.A. Heikel, Major element composition, magma type and tectonic environment of the Mesozoic to Recent basalts, Egypt: A review, *Bulletin of the Fac. Earth Sciences*, 4, 121-148, 1981.
- Abed, A.M., On the supposed Precambrian palaeosuture along the Dead Sea Rift, Jordan, *Journal of the Geological Society of London*, 142, 527-531, 1985.
- Abu-Jaber, N. S., M. M. Kimberley, and V. V. Cavaroc, Mesozoic-Palaeogene Basin Development within the Eastern Mediterranean Borderland, *Journal of Petroleum Geology*, 12, 419-436, 1989.
- Agar, R. A., The Najd fault system revisited; a two-way strike-slip orogen in the Saudi Arabian Shield, *Journal of Structural Geology*, 9 (1), 41-48, 1987.
- Aktas, G., and A.H.F. Robertson, The Maden Complex, SE Turkey: evolution of a Neotethyan active margin, in *The Geological Evolution of the Eastern Mediterranean*, Geological Society of London Special Publication 17, edited by J.E. Dixon and A.H.F. Robertson, pp. 375-402, Blackwell Scientific Publications, Oxford.
- Al-Laboun, A., The distribution of Carboniferous-Permian siliciclastic rocks in the greater Arabian basin., *Geological Society of America Bulletin*, 100, 362-373, 1988.
- Al-Saad, D., T. Sawaf, A. Gebran, M. Barazangi, J. Best, and T. Chaimov, Northern Arabian platform transect across the Palmyride mountain belt, Syrian Arab Republic, *Global Geoscience Transect, Amer. Geophys. Union*, 1, 1991.

- Al-Shanti, A. M., and I. G. Gass, The Upper Proterozoic ophiolite mélange zones of the easternmost Arabian shield, *Journal of the Geological Society of London*, 140, 867-876, 1983.
- Al-Swaidan, Hassan M., Determination of lead and nickel in Saudi Arabian crude oils by ICP/MS using MIBK for sample pretreatment, *Analytical Letters*, 25 (11), 2157-2163, 1992.
- Ala, M. A., and B. J. Moss, Comparative petroleum geology of southeast Turkey and northeast Syria., *Journal of Petroleum Geology*, 1, 3-27, 1979.
- Almond, D.C., The relation of Mesozoic-Cainozoic Volcanism to Tectonics in the Afro-Arabian Dome, *Journal of Volcanology and Geothermal Research*, 28, 225-246, 1986.
- Alsharhan, A.B., and C.G. St. C. Kendall, Precambrian to Jurassic Rocks of Arabian Gulf and Adjacent Areas: Their Facies, Depositional Setting, and Hydrocarbon Habitat, *The American Association of Petroleum Geologists Bulletin*, 70, 977-1002, 1986.
- Alsinawi, S.A., and A.S. Al-Banna, An E-W transect section through central Iraq, in *Australia and Other Regions*, Basement Tectonics 9, edited by Rickard, M. J., H.J. Harrington, and P.R. Williams, pp. 191-196, Kluwer Academic Publishers, Netherlands, 1990.
- Altiner, Demir, An Example for the Tectonic Evolution of the Arabian Platform Margin (SE Anatolia) During the Mesozoic and Some Criticisms of the Previously Suggested Models, in *Tectonic Evolution of the Tethyan Region*, edited by C. Sengör, pp. 117-129, Kluwer Academic Publishers, 1989.
- Ameen, M.S., Effect of basement tectonics on hydrocarbon generation, migration, and accumulation in northern Iraq, *The American Association of Petroleum Geologists Bulletin*, 76, 356-370, 1992.
- Arapat, E., and F. Sarogulu, The East Anatolian Fault system; thoughts on its development., *Bulletin of Mineral Research & Exploration Instit. of Turkey*, 78, 33-39, 1972.
- Bach Imam, I., and Jacques Sigal, Precisions Nouvelles sur L'age Triasique, et non Jurassique, de la Majeure Partie des Formations Evaporitiques et Dolomitiques des Forages de L'est Syrien, *Revue de Paleobiologie*, 4, 35-42, 1985.
- Bahat, Dov, and A. Rabinovitch, The Initiation of the Dead Sea rift, *Journal of Geology*, 91, 317-332, 1983.
- Barjous, M., and S. Mikbel, Tectonic evolution of the Gulf of Aqaba-Dead Sea transform fault system, *Tectonophysics*, 180, 49-59, 1990.

- Basha, S. H., Stratigraphy of the Risha Area in Northeast Jordan, *Journal of the Geological Society of Iraq*, 13 (1), 287-291, 1980.
- Bebeshev, I.I., Y.M. Dzhililov, L.A. Portnyagina, G.T. Yudin, A. Mualla, T. Zaza, and A. Jusef, Triassic stratigraphy of Syria, *International Geology Review*, , 1292-1301, 1988.
- Becker, A., and S. Paladini, Intra-plate stresses in Europe and plate-driving mechanisms , *Annales Tectonicae*, 6 (2), 173-192, 1992.
- Bein, A., and R. Binstock, Depositional environments and source rock potential of the Jurassic Kidod shales, Israel., *Journal of Petroleum Geology*, 8, 187-198, 1985.
- Ben-Avraham, Z., The structure and tectonic setting of the Levant continental margin, eastern Mediterranean, *Tectonophysics*, 46, 313-331, 1978.
- Ben-Avraham, Z., U. ten Brink, and J. Charrach, Transverse faults at the northern end of the southern basin of the Dead Sea graben, *Tectonophysics*, 180, 37-47, 1990.
- Ben-Avraham, Z., and A. Ginzburg, Displaced terranes and crustal evolution of the Levant and the Eastern Mediterranean, *Tectonics*, 9, 613-622, 1990.
- Ben-Avraham, Z., and V. Lyakhovsky, Faulting processes along the northern Dead Sea transform and the Levant margin, *Geology*, 20, 1139-1142, 1992.
- Ben-Avraham, Z., and Amos Nur, Collisional processes in the eastern Mediterranean, *Geologische Rundschau*, 75, 209-217, 1986.
- Bender, Dr. Friedrich, Geologie von Jordanien, in *Beiträge zur regionalen Geologie der Erde*, 187-190 pp., Gebrüder Borntraeger, Berlin, 1968.
- Bender, F., Geology of the Arabian Peninsula (Jordan), *US Geological Survey Professional Paper*, 560, 1-136, 1975.
- Bender, V. F., On the age and evolution of the Jordan Graben: an example from the southern section (Wadi Arabia) , *Geol. Jb. (GERMAN)*, 3, 177-196, 1968.
- Bentor, Y., Some geochemical aspects of the Dead Sea and the question of its age, *Geochimica et Cosmochimica Acta*, 25, 239-260, 1961.
- Berberian, F., and M. Berberian, Tectono-plutonic episodes in Iran, in *Zagros, Hindu Kush, Himalaya, geodynamic evolution*, Geodynamics Series 3, edited by H. Gupta and F. Delany, pp. 5-32, American Geophysical Union, Washington, D.C., 1981.
- Best, J.A., M. Barazangi, D. Al-Saad, T. Sawaf, and A. Gebran, Continental margin evolution of the northern Arabian platform in Syria, *American Association of Petroleum Geologists Bulletin*, 77, 173-193, 1993.

- Beydoun, Z., The Levantine countries: the geology of Syria and Lebanon (maritime regions), in *The Ocean Basins and Margins, The Eastern Mediterranean*, edited by A. E. M. Nairn, W. H. Kanes, F. G. Stehli, pp. 319-353, Plenum Press, New York, London, 1977.
- Beydoun, Z., Some open questions relating to the petroleum prospects of Lebanon, *Journal of Petroleum Geology*, 3, 303-314, 1981.
- Beydoun, Z. R., Petroleum prospects of Lebanon: reevaluation, *The American Association of Petroleum Geologists*, 19, 43-64, 1977.
- Beydoun, Z. R., Evolution of the northeastern Arabian plate margin and shelf: Hydrocarbon habitat and conceptual future potential, *Revue de l'Institut Francais du Petrole*, 48 (4), 311-345, 1993.
- Beydoun, Z. R., Petroleum in the Zagros Basin: A Late Tertiary Foreland Basin Overprinted onto the Outer Edge of a Vast Hydrocarbon-Rich Paleozoic-Mesozoic Passive-Margin Shelf, in *Foreland Basins and Foldbelts*, edited by R. MacQueen and D. Leckie, pp. , AAPG Memoir 55, 1992.
- Beydoun, Z. R., A. R. I. Futyán, and A. H. Jawsí, Jordan Revisited: Hydrocarbons habitat and potential, *Journal of Petroleum Geology*, 17 (2), 177-194, 1994.
- Bobsien, M., R. Egloff, A. Y. Izzeldin, J. Makris, and R. Rihm, Seismic measurements on a profile across the western flank of the Red Sea, offshore Sudan, *European Association of Exploration Geophysicists: 51st meeting and technical exhibition; technical programme and abstracts of papers*, 51, 185, 1989.
- Bonatti, Enrico, Giulio Ottonello, and Paul R. Hamlyn, Peridotites from the island of Zabargad (St. John), Red Sea: Petrology and Geochemistry, *Journal of Geophysical Research*, 91, 599-631, 1986.
- Brueckner, H. K., Alan Zindler, M. Seyler, and E. Bonatti, Zabargad and the Pan-African and Miocene isotopic evolution of the sub-Red Sea mantle and crust, *Abstracts with Programs - Geological Society of America*, 19 (7), 603, 1987.
- Camp, V. E., Island arcs and their role in the evolution of the western Arabian Shield, *Geological Society of America Bulletin*, 95, 913-921, 1984.
- Camp, V. E., P. R. Hooper, M. J. Roobol, and D. L. White, The Madinah eruption, Saudi Arabia: Magma mixing and simultaneous extrusion of three basaltic chemical types, *Bulletin of Volcanology*, 49, 489-508, 1987.
- Camp, V.E., and M.J. Roobol, Upwelling asthenosphere beneath western Arabia and its regional implications, *Journal of Geophysical Research*, 97, 15,255-15,271, 1992.



- Camp, Victor E., M. John Roobol, and Peter R. Hooper, Intraplate alkalic volcanism and magmatic processes along the 600-km-long Makkah-Madinah-Nafud volcanic line, western Saudi Arabia, *Bulletin - New Mexico Bureau of Mines & Mineral Resources* 131, 39, 1989.
- Capaldi, G., P. Manetti, and G. B. Piccardo, Preliminary Investigations on Volcanism of the Sadah Region (Yemen Arabic Republic), *Bulletin of Volcanology*, 46-4, 413-427, 1983.
- Cater, J. M. L., and I. P. Tunbridge, Palaeozoic tectonic history of SE Turkey, *Journal of Petroleum Geology*, 15 (1), 35-50, 1992.
- Christian, Louis, Projection of Triassic, Permian, and Carboniferous isopach trends from Arabia across the gulf into Iran, and proposed sinistral displacement of Permian isopachs along the main Zagros fault , (submitted to , , , .
- Cochran, J.R., Model for the development of the Red Sea, *American Association of Petroleum Geologists Bulletin*, 67, 41-69, 1983.
- Cohen, Z., A. Flexer, and V. Kaptsan, The Pleshet Basin: A newly-discovered link in the peripheral chain of basins of the Arabian craton, *Journal of Petroleum Geology*, 11, 403-414, 1988.
- Darkal, Abdul Nasser, Manfred Krauss, and Ralf Ruske, The Levant Fault Zone, *Zeitschrift von Geologische Wissenschaft*, 18, 549-562, 1990.
- De Righi, M. Rigo, and A. Cortesini, Gravity Tectonics in Foothills Structure Belt of Southeast Turkey, *Bulletin of the American Association of Petroleum Geologists*, 48, 1911-1937, 1964.
- De Sitter, L., Structural development of the Arabian Shield in Palestine, *Geologie en Mijnbouw*, 41, 116-124, 1962.
- Dewey, J. F., and A. M. Sengör, Aegean and surrounding regions: Complex multiplate and continuum tectonics in a convergent zone, *Geological Society of American Bulletin*, 90, 84-92, 1979.
- Dilek, Y., and M. Delaloye, Structure of the Kizildag ophiolite, a slow-spread Cretaceous ridge segment north of the Arabian promontory, *Geology*, 20, 19-22, 1992.
- Dilek, Y., and E. M. Moores, Regional tectonics of the eastern Mediterranean ophiolites, in *Proceedings of the Symposium on Ophiolites and Oceanic lithosphere*, Troodos 87, 295-309 pp., Geol. Surv. Depart., Nicosia, 1990.
- Dilek, Y., and P. Thy, Tectonic evolution of the troodos ophiolite within the Tethyan framework, *Tectonics*, 9, 811-823, 1990.

- Dubertret, L., Review of the structural geology of the Red Sea and surrounding areas, *Royal Society of London Philosophical Transactions, Series A*, 267, 1970.
- Dunne, L. A., and M. R. Hempton, Strike-slip basin sedimentation at Lake Hazar (Eastern Taurus Mountains), edited by O. Tekeli, M. C. Goncuoglu, pp. 229-235, MTA, Ankara, Turkey, 1984.
- Dunnigton, H. V., Stratigraphical Distribution of Oilfields in the Iraq-Iran-Arabia Basin, *Journal of the Institute of Petroleum*, 53 (520), 129-161, 1967.
- Dunnigton, H. V., Generation, migration, accumulation, and dissipation of oil in northern Iraq, in *Habitat of Oil*, 1194-1250 pp., American Association of Petroleum Geologists Bulletin, 1958.
- Erendil, M., Petrology and structure of the upper crustal units of the Kizildag ophiolite, in *Geology of the Taurus Belt*, edited by O. Tekeli and M.C. Goncuoglu, pp. 269-284, MTA, Ankara, Turkey, 1984.
- Eyal, M., Y. Eyal, Y. Bartov, and G. Steinitz, The tectonic development of the western margin of the Gulf of Elat (Aqaba) Rift, *Tectonophysics*, 80, 39-66, 1981.
- Eyal, Y., Tectonic analysis of the Dead Sea Rift region since the Late-Cretaceous based on mesostructures, *Tectonics*, 2, 167-185, 1983.
- Fairhead, J. D., Late Mesozoic rifting in Africa, in *Triassic-Jurassic Rifting; Continental Breakup and the Origin of the Atlantic Ocean and Passive Margins*, edited by W. Manspeizer, pp. , Elsevier, Amsterdam, 1988.
- Fontaine, J. M., O. Monod, J. Braud, and D. Perincek, The Hezan units: a fragment of the south neo-Tethyan passive continental margin in southeastern Turkey, *Journal of Petroleum Geology*, 12 (1), 29-50, 1989.
- Frei, L.S., and R. Freund, Spatial and temporal relationships between two sets of strike-slip faults in southeastern Sinai, *Tectonophysics*, 180, 111-122, 1990.
- Freund, R., A model of the structural development of Israel and adjacent areas since Upper Cretaceous times, *Geological Magazine*, 102 (3), 189-205, 1965.
- Freund, R., Z. Garfunkel, I. Zak, M. Goldberg, T. Weissbrod, and B. Derin, The shear along the Dead Sea rift, *Phil. Trans. Roy. Soc. Lond.* , 267, 107-130, 1970.
- Freund, R., I. Zak, and Z. Garfunkel, Age and rate of the Sinistral movement along the Dead Sea Rift, *Nature*, 220, 253-255, 1968.
- Gardosh, M., Z. Reches, and Z. Garfunkel, Holocene tectonic deformation along the western margins of the Dead Sea, *Tectonophysics*, 180, 123-137, 1990.
- Garfunkel, Z., Internal structure of the Dead Sea leaky transform (rift) in relation to plate kinematics, *Tectonophysics*, 80, 81-108, 1981.

- Garfunkel, Z., Tectonic setting of Phanerozoic magmatism in Israel, *Israel Journal of Earth Science*, 38, 51-74, 1989.
- Garfunkel, Z., and Gideon Almagor, Geology and the Structure of the Continental Margin off Northern Israel and the Adjacent part of the Levantine Basin, *Marine Geology*, 62, 105-131, 1985.
- Garfunkel, Z., and B. Derin, Permian-early Mesozoic tectonism and continental margin formation in Israel and its implications for the history of the Eastern Mediterranean, in *The Geological Evolution of the Eastern Mediterranean*, edited by J.E. Dixon and A.H.F. Robertson, pp. 187-201, Blackwell Scientific Publications, Edinburgh, Scotland, 1984.
- Garfunkel, Z., and A. Horowitz, The Upper Tertiary and Quaternary morphology of the Negev, Israel, *Israel Journal of Earth Sciences*, 15, 101-117, 1966.
- Garfunkel, Z., I. Zak, and R. Freund, Active faulting in the Dead Sea rift, *Tectonophysics*, 80, 1-26, 1981.
- Garfunkel, Zvi, and Baruch Derin, Reevaluation of Latest Jurassic-Early Cretaceous History of the Negev and the Role of Magmatic Activity, *Israel Journal of Earth Science*, 37, 43-52, 1988.
- Gealey, W. K., Plate tectonic evolution of the Mediterranean-Middle East region, *Tectonophysics*, 155, 285-306, 1988.
- Girdler, R. W., The importance of the Jordanian Rift to studies of the Red Sea and Gulf of Aden, *Proceedings of the First Jordanian Geological Conference*, 1, 503-522, 1982.
- Girdler, R. W., Problems concerning the evolution of oceanic lithosphere in the northern Red Sea, *Tectonophysics*, 116, 109-122, 1985.
- Girdler, R.W., The Dead Sea transform fault system, *Tectonophysics*, 180, 1-13, 1990.
- Girdler, R.W., and T. C. Southren, Structure and evolution of the northern Red Sea, *Nature*, 330, 716-721, 1987.
- Gorin, G. E., L. G. Racz, and M. R. Walter, Late Precambrian-Cambrian sediments of Huqf Group, Sultanate of Oman, *The American Association of Petroleum Geologists Bulletin*, 66, 2609-2627, 1982.
- Gregor, C. B., S. Mertzman, A. E. M. and Negendank Nairn, J., The Paleomagnetism of some Mesozoic and Cenozoic volcanic rocks from the Lebanon, *Tectonophysics*, 21, 375-395, 1974.
- Greifswald, Krauss, Zum Mechanismus und Charakter erste plattentektonischer Prozesse im Oberen Proterozoikum, dargestellt am Beispiel der Hijaz-

- Tektogenese im NE-afrikanisch-arabischen Raum (Arabisch-Nubischer Schild)  
Teil I, *Zeitschrift für angewandte Geologie*, 32, 267-272, 1986.
- Guennoc, Pol, Georges Pouit, and Zohair Nawab, The Red Sea: history and associated mineralization, in *Triassic-Jurassic Rifting; Continental Breakup and the Origin of the Atlantic Ocean and Passive Margins*, edited by W. Manspeizer, pp. , Elsevier, Amsterdam, .
- Gvirtzman, Gdaliahu, and Tuvia Weissbrod, The Hercynian Geanticline of Helez and the Late Palaeozoic history of the Levant, in *The Geological Evolution of the Eastern Mediterranean*, edited by J.E. Dixon and A.H.F. Robertson, pp. 177-186, Blackwell Scientific Publications, 1984.
- Hall, Robert, Ophiolite emplacement and the evolution of the Taurus suture zone, southeastern Turkey, *Geological Society of America Bulletin*, 87, 1078-1088, 1976.
- Halpern, M., and N. Tristan, Geochronology of the Arabian-Nubian shield in southern Israel and eastern Sinai, *Journal of Geology*, 89, 639-648, 1981.
- Hatzor, Y., and Z. Reches, Structure and paleostresses in the Gilboa region, western margins of the central Dead Sea rift, *Tectonophysics*, 180, 87-100, 1990.
- Heimman, A., M. Eyal, and Y. Eyal, The evolution of Barahta rhomb-shaped graben, Mount Hermon, Dead Sea Transform, *Tectonophysics*, 180, 101-110, 1990.
- Hempton, M., Structure and deformation of the Bitlis suture near Lake Hazar, southeastern Turkey, *Geological Society of America Bulletin*, 96, 233-243, 1985.
- Hempton, Mark, Constraints on Arabian Plate Motion and Extensional History of the Red Sea, *Tectonics*, 6, 687-705, 1987.
- Hirsch, F., and L. Picard, The Jurassic facies in the Levant, *Journal of Petroleum Geology*, 11, 277-308, 1988.
- Horowitz, Aharon, Structure and tectonic development of Israel (and) Pre-Quaternary geology of Israel, in *The Quaternary of Israel*, 11-364 pp., Academic Press, New York, 1979.
- Hubbard, Richard J., Age and Significance of Sequence Boundaries on Jurassic and Early Cretaceous Rifted Continental Margins, *The American Association of Petroleum Geologists Bulletin*, 72, 49-72, 1988.
- Husseini, M., The Arabian Infracambrian extensional system, *Tectonophysics*, 148, 93-103, 1988.

- Husseini, M. I., Tectonic and deposition model of late Precambrian-Cambrian Arabian and adjoining plates, *American Association of Petroleum Geologist Bulletin*, 73, 1117-1131, 1989.
- Husseini, M. I., Tectonic and depositional model of the Arabian and adjoining plates during the Silurian-Devonian, *The American Association of Petroleum Geologists Bulletin*, 75, 108-120, 1991.
- Husseini, M. I., Upper Palaeozoic tectono-sedimentary evolution of the Arabian and adjoining plates, *Journal of the Geological Society*, 149, 419-429, 1992.
- Ibrahim, Mohamma Wijdan Ismail, Petroleum geology of south Iraq, *Ph.D. thesis, University of London*, 1978.
- Jackson, N. J., A note on the geochemistry of the Khumrah metabasalts, Southern Arabian Shield, Saudi Arabia, *Bulletin of King Abdulaziz Univ. Fac. Earth Science*, 4, 1599-166, 1981.
- Jestin, F., P. Huchon, and J. M. Gaulier, The Somalia plate and the East African Rift system: present-day kinematics , *Geophys. J. Int*, 116, 637-654, 1994.
- Johnson, P.R., E. Scheibner, and E.A. Smith, Basement fragments, accreted tectonostratigraphic terranes and overlap sequences: Elements in the tectonic evolution of the Arabian shield, in *Proterozoic Lithospheric Evolution*, American Geophysical Union Geodynamics Series , edited by A. Kroner, pp. 323-343, 1987.
- Karig, D. E., and H. Kozl , Late Paleogene-Neogene evolution of the triple junction region near Maras, South Central Turkey, *Geological Society of London Journal*, 147, 1023-1034, 1990.
- Kasapoglu, K. E., Stress-strain and displacement distributions in the Taurus belt, in *Geology of the Taurus Belt*, edited by O. Tekeli, M. C. Goncuoglu, pp. 295-301, MTA, Ankara, Turkey, 1984.
- Kashai, E. L., A review of the relations between the tectonics, sedimentation and petroleum occurrences of the Dead Sea - Jordan Rift system, in *Triassic-Jurassic Rifting; Continental Breakup and the Origin of the Atlantic Ocean and Passive Margins*, edited by W. Manspeizer, pp. , Elsevier, Amsterdam, .
- Kashai, E. L., and P. F. Croker, Structural geometry and evolution of the Dead Sea-Jordan rift system as deduced from new subsurface data, *Tectonophysics*, 141, 33-60, 1987.
- Kelling, G., S. Gokcen, P. Floyd, and N. Gokcen, Neogene tectonics and plate convergence in the eastern Mediterranean: New data from southern Turkey, *Geology*, 15, 425-429, 1987.

- Kempler, D., and Z. Ben-Avraham, The tectonic evolution of the Cyprean Arc, *Annales Tectonicae*, 1, 58-71, 1987.
- Kempler, Ditzia, and Zvi Garfunkel, The northeast Mediterranean triple junction from a plate kinematic point of view, *Bull. Tech. Univ. Istanbul*, 44, 425-454, 1991.
- Kempler, Ditzia, and Zvi Garfunkel, Structures and kinematics in the northeastern Mediterranean: A study of an irregular plate boundary, *Tectonophysics*, 234, 19-32, 1994.
- Knipper, A., A. Savel'Yev, and M. Ruklye, Ophiolitic association of northwestern Syria, *Geotectonics*, 22, 73-82, 1988.
- Koçyigit, A., An example of an accretionary forearc basin from northern Central Anatolia and its implications for the history of subduction of Neo-Tethys in Turkey, *Geological Society of America Bulletin*, 103, 22-36, 1991.
- Kolars, John F., and William A. Mitchell, *The Euphrates River and the Southeast Anatolia Development Project*, 324 p. pp., Southern Illinois University Press, Carbondale, .
- Koop, W. J., and R. Stoneley, Subsidence history of the Middle East Zagros basin, Permian to recent, *Phil. Trans. R. Society of London*, 305, 149-168, 1982.
- Le Pichon, X., and J. Francheteau, A plate-tectonic analysis of the Red Sea- Gulf of Aden area, *Tectonophysics*, 46, 369-406, 1978.
- Le Pichon, X., and J. M. Gaulier, Plate tectonics of the Red Sea-Levant area, *Program and Abstracts: 1987 Geodynamics Symposium*, 42-44, 1987.
- Leonov, Y.G., S.P. Sigachev, M. Otri, A. Yusef, T. Zaza, and T. Sawaf, New data on the Paleozoic complex of the platform cover of Syria, *Geotectonics*, 23, 538-542, 1989.
- Lippard, S., A. Shelton, and I. Gass, The ophiolite of Northern Oman, *The Geological Society, Memoirs*, 11, 1-16, 1986.
- Livermore, R.A., and A.G. Smith, Relative motions of Africa and Europe in vicinity of Turkey, edited by O. Tekeli, M.C. Goncuoglu, pp. 1-10, MTA, Ankara, Turkey, 1984.
- Lovelock, P. E. R., A review of the tectonics of the northern Middle East region, *Geol. Mag.*, 121, 577-587, 1984.
- Lowell, J. D., G. J. Genik, T. H. Nelson, and P. M. Tucker, Petroleum and plate tectonics of the southern Red Sea, in *Petroleum and global tectonics*, edited by Fischer, A. G., and S. Judson, pp. 129-153, Princeton Univ. Press, Princeton, N. J., USA, 1975.

- Lyberis, Nicholas, Ercin Kasapoglu Tekin Yurur, and Niyazi Gundogdu, The East Anatolian Fault: An Oblique Collisional Belt, *Tectonophysics: "The Afro-Arabian Rift System"*, 204, 1-15, 1992.
- Mahfoud, R. F., and J.N. Beck, Inorganic origin in upper mantle seen likely for solid hydrocarbon in Syria plateau basalt, *Oil & Gas Journal*, 88-92, 1991.
- Mahfoud, Robert F., and James N. Beck, Petrographic study of, and trace element distribution in, high-MgO, transitional and high-Al<sub>2</sub>O<sub>3</sub> basalts from the coastal region and SW-central Syria: A comparative study with similar basalts from the Aleutian Island arc, *J. Geodynamics*, 17 (1-2), 57-76, 1993.
- Makris, J., and C. H. Henke, Pull-apart evolution of the Red Sea, *Journal of Petroleum Geology*, 15 (2), 127-134, 1992.
- Makris, J., and R. Rihm, Shear-controlled evolution of the Red Sea: pull apart model, *Tectonophysics*, 198, 441-466, 1991.
- Marcoux, J., J.-P. Brun, J.-P. Burg, and L. Ricou, Shear structures in anhydrite at the base of thrust sheets (Antalya, Southern Turkey), *Journal of Structural Geology*, 9, 555-561, 1987.
- Marcoux, J., L. E. Ricou, J. P. Burg, and J. P. Brun, Shear-sense criteria in the Antalya and Alanya thrust system (southwestern Turkey): evidence for a southward emplacement., *Tectonophysics*, 161, 81-91, 1989.
- Mart, Yossi, Ptolemais basin: The tectonic origin of a Senonian marine basin underneath the southeastern Mediterranean Sea, *Tectonophysics*, 234, 5-17, 1994.
- May, P.R., The eastern Mediterranean Mesozoic basin: evolution and oil habitat, *The American Association of Petroleum Geologists Bulletin*, 75, 1215-1232, 1991.
- McKenzie, D., D. Davies, and P. Molnar, Plate tectonics of the Red Sea and East Africa, *Nature*, 226, 243-248, 1970.
- Metwalli, M., G. Philip, and M. Moussly, Petroleum-bearing formations in northeastern Syria and northern Iraq, *American Association of Petroleum Geologists Bulletin*, 58, 1781-1796, 1974.
- Mikbel, S., and W. Zacher, Fold structures in northern Jordan, *Schweizerbart'sche Verlagsbuchhandlung*, , 248-256, 1986.
- Moore, E.M., Paul T. Robinson, John Malpas, and Costas Xenophonotos, Model for the origin of the Troodos massif, Cyprus, and other mid-east ophiolites, *Geology*, 12, 500-503, 1984.



- Morley, C.K., R.A. Nelson, T.L. Patton, and S.G. Munn, Transfer zones in the East African rift system and their relevance to hydrocarbon exploration in rifts, *The American Association of Petroleum Geologists Bulletin*, 74, 1234-1253, 1990.
- Moukadiri, A., Ultramafic xenoliths related to alkalic basalts in the Azrou-Timahdite volcanic district, Middle Atlas, Morocco, *Univ. Clermont-Ferrand 2, Doctoral, Th. 3e cycle: Geol. Thesis*, , 157, 1983.
- Moustafa, A. R., The Feiran tilted blocks: an example of a synthetic transfer zone, eastern side of Suez rift, *Annales Tectonicae*, 6 (2), 193-201, 1992.
- Moustafa, A.R., and M.H. Khalil, North Sinai structures and tectonic evolution, *Middle East Research Center, Ain Shams University*, 3, 215-231, 1989.
- Moustafa, Adel R., and Khalil Mosbah, Late Cretaceous-Early Tertiary Dextral Transpression in North Sinai: Reactivation of the Tethyan Continental Margin, *The American Association of Petroleum Geologists Bulletin*, 72, 1015, 1988.
- Mouty, M., M. Delaloye, D. Fontignie, O. Piskin, and J.-J. Wagner, The volcanic activity in Syria and Lebanon between Jurassic and Actual, *Schweiz. Mineral. Petrogr. Mitt.*, 72, 91-105, 1992.
- Muehlberger, W. R., The splintering of the Dead Sea fault zone in Turkey, *Yerbilimleri*, 8, 125-130, 1981.
- Muehlberger, W., and M. Gordon, Observations on the complexity of the East Anatolian Fault, Turkey, *Journal of Structural Geology*, 9, 899-903, 1987.
- Murris, R. J., Middle East: Stratigraphic Evolution and Oil Habitat, *The American Association of Petroleum Geologists Bulletin*, 64, 597-618, 1980.
- Nasir, Sobhi, The lithosphere beneath the northwestern part of the Arabian Plate (Jordan): evidence from xenoliths and geophysics, *Tectonophysics*, 201 (3-4), 357-370, 1992.
- Neev, D., and Z. Ben-Avraham, The Levantine countries: the Israeli coastal region, in *The Ocean Basins and Margins, The Eastern Mediterranean 4A*, edited by A. E. M. Nairn, W. H. Kanes, F. G. Stehli, pp. 319-353, Plenum Press, New York, London, 1977.
- Neev, David Nigel, Tectonic evolution of the Middle East and the Levantine basin (easternmost Mediterranean), 683-686 pp., 1975.
- Nur, A., and Z. Ben-Avraham, The eastern Mediterranean and the Levant: tectonics of continental collision, *Tectonophysics*, 46, 297-311, 1978.
- Omara, S., Diapiric structures in Egypt and Syria, *American Association of Petroleum Geologists Bulletin*, 48, 1116-1125, 1964.

- Onalan, M., Geological evolution of the Kahramanmaras Tertiary peripheral basin, *Geological Bulletin of Turkey*, 31, 1-10, 1988.
- Pallister, J.S., J.S. Stacey, L.B. Fischer, and W.R. Premo, Arabian shield ophiolites and late Proterozoic microplate accretion, *Geology*, 15, 320-323, 1987.
- Patton, T., and S. O'Connor, Cretaceous flexural history of Northern Oman Mountain Foredeep, United Arab Emirates, *American Association of Petroleum Geologists Bulletin*, 72, 797-809, 1988.
- Pauken, R.J., and D.O. Hemer, Tectonics, stratigraphy, and hydrocarbon exploration in the Strait of Hormuz, *Society of Petroleum Engineers*, 21380, 369-380, 1991.
- Pelet, R., Habitat of deep petroleum, in *The Potential of Deep Seismic Profiling for Hydrocarbon Exploration*, edited by B. Pinet, C. Bois, pp. 15-21, Editions Technip, Paris, 1990.
- Perincek, D., and I. Cemen, The structural relationship between the East Anatolian and Dead Sea fault zones in southeastern Turkey, *Tectonophysics*, 172, 331-340, 1990.
- Ponikarov, V.P., *Tectonic map of Syria: scale 1:1,000,000*, edited by Ponikarov, V.P., pp., Ministry of Industry, Damascus, Syrian Arab Republic, 1964.
- Ponikarov, V.P., *The Geological map of Syria: scale 1:1,000,000*, edited by Ponikarov, V.P., pp. 1, Ministry of Industry, Damascus, Syrian Arab Republic, 1966.
- Ponikarov, V.P., *The geology of Syria: explanatory notes on the geological map of Syria, scale 1:500,000 part I: stratigraphy, igneous rocks and tectonics*, edited by Ponikarov, V.P., pp. 229, Ministry of Industry, Damascus, Syrian Arab Republic, 1967.
- Powell, J. H., and B Khalil Mohamed, Structure and sedimentation of Permo-Triassic and Triassic rocks exposed in small-scale horsts and grabens of pre-Cretaceous age: Dead Sea margin, Jordan, *Journal of African Earth Sciences*, 17 (2), 131-143, 1993.
- Price, Simon P., and Barry Scott, Fault-block rotations at the edge of a zone of continental extension; southwest Turkey, *Journal of Structural Geology*, 16 (3), 381-392, 1994.
- Quennell, A.M., Tectonics of the Dead Sea Rift, *Proceedings of the 20th IGC in Mexico*, 385-403, 1956.
- Quennell, A. M., The Western Arabia rift system, in *The Geological Evolution of the Eastern Mediterranean*, Geological Society of London Special Publication 17, edited by J.E. Dixon, A.H.F. Robertson, pp. 775-788, Blackwell Scientific Publications, Oxford, 1984.

- Quennell, A.M., The structural and geomorphic evolution of the Dead Sea Rift, *Quarterly Journal of the Geological Society of London*, 114, 1-24, 1958.
- Rigo de Righi, M., and A. Cortesini, Gravity tectonics in foothills structure belt of southeast Turkey, *American Association of Petroleum Geologists Bulletin*, 48, 1911-1937, 1964.
- Robertson, A., The transition from a passive margin to an Upper Cretaceous foreland basin related to ophiolite emplacement in the Oman Mountains, *Geological Society of America Bulletin*, 99, 633-653, 1987.
- Ron, H., Deformation along the Yammuneh, the restraining bend of the Dead Sea transform: Paleomagnetic data and kinematic implications, *Tectonics*, 6, 653-666, 1987.
- Rotstein, Y., Counterclockwise rotation of the Anatolian block, *Tectonophysics*, 108, 71-91, 1984.
- Rotstein, Y., and Z. Ben-Avraham, Accretionary Processes at Subduction Zones in the Eastern Mediterranean, *Tectonophysics*, 112, 551-561, 1985.
- Saint-Marc, P., Lebanon, in *Aspects of Mid-Cretaceous Regional Geology*, 103-131 pp., 1981.
- Salel, J.F., and M. Seguret, Late Cretaceous to Paleogene thin-skinned tectonics of the Palmyrides belt (Syria), *Tectonophysics*, 234, 265-290, 1994.
- Sawaf, T., D. Al-Saad, A. Gebran, M. Barazangi, J.A. Best, and T. Chaimov, Stratigraphy and structure of eastern Syria across the Euphrates depression, *Tectonophysics*, 220, 267-281, 1993.
- Schamel, S., and R. Ressetar, Intraplate shear: the cause of the Syrian Arc fold belt [abs.], in *Geological Society of America Abstracts with Programs*, 740 pp., Annual Meeting, San Antonio, Texas, November 10-13, 1986.
- Scott, B., The Eurasian-Arabian and African continental margin from Iran to Greece, *Journal of the Geological Society of London*, 138, 719-733, 1981.
- Sengor, A.M.C., N. Gorur, and F. Saroglu, Strike-slip faulting and related basin formation in zones of tectonic escape: Turkey as a case study, in *Strike-Slip Deformation, Basin Deformation, and Sedimentation*, Society of Economic Paleontologists and Mineralogists Special Publication, edited by K.T. Biddle, N. Christie-Blick, pp. 227-265, 1985.
- Sharief, Farooq A., Lithofacies distribution of the Permian-Triassic rocks in the Middle East, *Journal of Petroleum Geology*, 4, 299-310, 1982.

- Sharp, I.R., T. Ustaomer, P. Degnan, A.H.F. Robertson, and J.E. Dixon, A two day informal workshop on the evolution of the Tethyan Belt, Tethyan Workshop , The Grant Institute Department of Geology and Geophysics, Edinburgh, 1991.
- Stoesser, D.B., and V.E. Camp, Pan-African microplate accretion of the Arabian shield, *Geological Society of America Bulletin*, 96, 817-826, 1985.
- Taviani, Marco, Enrico Bonatti, Paolo Colantoni, and Luigi Rossi Piermaria, Tectonically Uplifted Crustal Blocks in the Northern Red Sea: Data from the Brothers Islets, *Memorial Society of Italian Geology*, 27, 47-50, 1984.
- ten Brink, Uri S., N. Schoenberg, Robert L. Kovach, and Zvi Ben-Avraham, Uplift and a possible Moho offset across the Dead Sea transform, *Tectonophysics*, 180 (1), 71-85, 1990.
- Teyssier, C., A crustal thrust system in an intracratonic tectonic environment, *Journal of Structural Geology*, 7, 689-700, 1985.
- Tinkler, C., J.J. Wagner, M. Delaloye, and H. Selcuk, Tectonic history of the Hatay ophiolites (south Turkey) and their relation with the Dead Sea Rift, *Tectonophysics*, 72, 23-41, 1981.
- Tromp, S. W., Blockfolding phenomena in the Middle East, *Geologie en Mijnbouw*, 9, 273-278, 1949.
- Van Houten, F. B., Triassic-Liassic deposits of Morocco and eastern North America: comparison, *American Association of Petroleum Geologists Bulletin*, 61, 79-99, 1977.
- Vroman, A., Is a compromise between the theories of tension and of shear for the origin of the Jordan-Dead Sea Trench possible?, *Israel Journal of Earth-Sciences*, 22, 141-156, 1973.
- Walley, C., A braided strike-slip model for the northern continuation of the Dead Sea Fault and its implications for Levantine tectonics, *Tectonophysics*, 145, 63-72, 1988.
- Weissbrod, Tuvia, The Permian in the Near East, in *The Continental Permian in Central, West, and South Europe*, edited by Falke, H. , pp. 200-214, D. Reidel Publishing Co., Dordrecht, Holland, 1976.
- Winter, Thierry, Jean-Philippe Avouac, and Alain Lavenu, Late Quarternary kinematics of the Pallatanga strike-slip fault (Central Ecuador) from topographic measurements of displaced morphological features, *Geophys. J. Int.*, 115, 905-920, 1993.
- Yilmaz, P.O., and J.C. Maxwell, K-Ar investigations from the Antalya complex ophiolites, SW Turkey, *Ophioliti*, 2-3, 527, 528, 530, 1982.

## MIDDLE EAST: GEOPHYSICS

- Abdel-Rahman, E. M., and R. I. Rizkalla, Crustal structure of the northern Western Desert of Egypt as derived from gravity data, *Bulletin of the Faculty of Science, Assiut University*, 52 (2), 601-615, 1984.
- Adams, R.D., and M. Barazangi, Seismotectonics and seismology in the Arab region: a brief summary and future plans, *Bulletin of the Seismological Society of America*, 74, 1011-1030, 1984.
- Al-Saigh, N. H., A. N. Toffeq, and I. Abdul-Hameed, Crustal structure along geotranssect Baghdad-Dohuk, northern Iraq, 3, 777, 1990.
- Ambraseys, N., and M. Barazangi, The 1759 large earthquake in the Bekaa Valley: implications for earthquake hazard assessment in Lebanon and Syria, *Journal of Geophysical Research*, 94, 4007-4013, 1989.
- Asfaw, Laike M., On the seismicity of the western Afar Margin, in *Proceedings of the First international symposium on Crustal movements in Africa*, edited by Wassef, A. M., pp. 61-83, 1981.
- Asudeh, I., Seismic structure of Iran from surface and body wave data, *Geophysical Journal R. Astr. Society*, 71, 715-730, 1982.
- Asudeh, I., Pn velocities beneath Iran, *Earth and Planetary Science Letters*, 61, 136-142, 1982.
- Avedik, F., L. Geli, J.M. Gaulier, and J.P. Le Formal, Results from three refraction profiles in the northern Red Sea (above 25 degrees N) recorded with an ocean bottom vertical seismic array, *Tectonophysics*, 153 (1-4), 89-101, 1988.
- Baker, Calum, James Jackson, and Keith Priestley, Earthquakes on the Kazerun Line in the Zagros Mountains of Iran: strike-slip faulting within a fold-and-thrust belt, *Geophys. J. Int.*, 115, 41-61, 1993.
- Barazangi, M., A summary of the seismotectonics of the Arab region, in *Assessment and mitigation of earthquake risk in the Arab region*, edited by K. Cidlinsky and B. Rouhban, pp. 43-58, UNESCO, Paris, France, 1983.
- Barazangi, M., Continental collision zones: seismotectonics and crustal structure, in *The Encyclopedia of Solid Earth Geophysics*, edited by D. E. James, pp. 58-74, Van Nostrand Reinhold Company, New York, 1989.
- Barazangi, M., D. Seber, D. Al-Saad, and T. Sawaf, Structure of the intracontinental Palmyride mountain belt in Syria and its relationship to nearby Arabian plate

boundaries, *Bulletin of Earth Sciences, Cukurova University, Adana, Turkey*, 20, 111-118, 1992.

Barazangi, M., D. Seber, T. Chaimov, J. Best, R. Litak, D. Al-Saad, and T. Sawaf, Tectonic evolution of the northern Arabian plate in western Syria, in *Recent evolution and seismicity of the Mediterranean region*, edited by E. Boschi et al., pp. 117-140, Kluwer Academic Publishers, Netherlands, 1993.

Ben-Menahem, A., A. Nur, and M. Vered, Tectonics, seismicity, and structure of the Afro-Eurasian junction - the breaking of an incoherent plate, *Physics of the Earth and Planetary Interiors*, 12, 1-50, 1976.

Best, J.A., M. Barazangi, D. Al-Saad, T. Sawaf, and A. Gebran, Bouguer gravity trends and crustal structure of the Palmyride Mountain belt and surrounding northern Arabian platform in Syria, *Geology*, 18, 1235-1239, 1990.

Blank, H. R., J. H. Healy, J.C. Roller, R. Lamson, F. Fischer, R. McClearn, and S. Allen, *Seismic refraction profile, Kingdom of Saudi Arabia, field operations, instrumentation, and initial results*, U.S. Geological Survey Saudi Arabian Mission Project Report 259, 49 pp., 1979.

Böhme, Rolf, *Inventory of World Topographic Mapping*, edited by Roger Anson, pp. 279-284, Elsevier Applied Science Publishers, London, 1993.

Bosworth, W., M. R. Strecker, and P. M. Blisniuk, Integration of East African Paleostress and Present-Day Stress Data: Implications for Continental Stress Field Dynamics, *Journal of Geophysical Research*, 97 (B8), 11,851-11,865, 1992.

Chaimov, T., M. Barazangi, D. Al-Saad, and T. Sawaf, Seismic fabric and 3-D upper crustal structure of the southwestern intracontinental Palmyride fold belt, Syria, *American Association of Petroleum Geologists Bulletin*, 77, 2032-2047, 1993.

Chaimov, T., M. Barazangi, D. Al-Saad, T. Sawaf, and A. Gebran, Crustal shortening in the Palmyride fold belt, Syria, and implications for movement along the Dead Sea fault system, *Tectonics*, 9, 1369-1386, 1990.

Chaimov, T., M. Barazangi, D. Al-Saad, T. Sawaf, and A. Gebran, Mesozoic and Cenozoic deformation inferred from seismic stratigraphy in the southwestern intracontinental Palmyride fold-thrust belt, Syria, *Geological Society of America Bulletin*, 104, 704-715, 1992.

Chamot-Rooke, N., C. Truffert, B. de Voogd, P. Huchon, S. Lallemand, and X. Le Pichon, Crustal structure of the eastern Mediterranean Sea; results of the PASIPHAEE cruise, *Eos, Transactions, American Geophysical Union*, 71 (43), 1634, 1990.

Chen, C. Y., W. P. Chen, and P. Molnar, The Uppermost mantle P wave velocities beneath Turkey and Iran, *Geophys. Res. Lett.*, 7 (1), 77-80, 1980.

- Çoruh, C., Crustal Seismic Images from Part of the Active Escape of the Anatolia Block: Preliminary Results from the First Turkish Geotraverse, *Seismological Research Letters*, 61, 147-8, 1990.
- Courtillot, V., R. Armijo, and Pl. Tapponnier, Kinematics of the Sinai triple junction and a two-phase model of Arabia-Africa rifting, in *Continental Extensional Tectonics*, Geological Society Special Publication 28, edited by M.P. Coward, J. Dewey and P. Hancock, pp. 559-573, 1987.
- Dehghani, G., Schwerefeld und Krustenaufbau im Iran (Gravimetric field and crustal structure in Iran), *Hamburger Geophysikalische Einzelschriften*, 54, 1-73, 1981.
- Dehghani, G. A., and J. Makris, The gravity field and crustal structure of Iran, *Neues Jahrbuch fuer Geologie und Palaeontologie Abhandlungen*, 168 (2-3), 215-229, 1984.
- Deniz, R., A. Aksoy, D. Yalin, H. Seeger, P. Franke, O. Hirsch, and P. Bartsch, Determination of crustal movements in Turkey by terrestrial geodetic methods, *J. Geodynamics*, 18 (1-4), 13-22, 1993.
- Drake, C. L., and R. W. Girdler, A Geophysical Study of the Red Sea, *The Geophysical Journal of the Royal Astronomical Society*, 8 (5), 473-495, 1964.
- Egloff, F., R. Rihm, J. Makris, Y. A. Izzeldin, M. Bobsien, K. Meier, P. Junge, T. Noman, and W. Warsi, Contrasting structural styles of the eastern and western margins of the southern Red Sea: the 1988 SONNE experiment, *Tectonophysics*, 198, 329-353, 1991.
- El-Isa, Z. H., Lithospheric structure of the Jordan-Dead Sea transform from earthquake data, *Tectonophysics*, 180, 29-36, 1990.
- El-Isa, Z., J. Makris, and C. Prodehl, A deep seismic sounding experiment in Jordan, *Dirasat*, 13 (7), 271-281, 1986.
- El-Isa, Z., J. Mechie, C. Prodehl, J. Makris, and R. Rihm, A crustal structure study of Jordan derived from seismic refraction data, *Tectonophysics*, 138, 235-253, 1987.
- Emery, K. O., Bruce C. Heezen, and T. D. Allan, Bathymetry of the eastern Mediterranean Sea, *Deep-Sea Research*, 13, 173-192, 1966.
- Gaulier, Jean-Michel, Xavier Le Pichon, Nicolas Lyberis, Felix Avedik, Louis Gely, and Isabelle Moretti, New refraction data on the northern Red Sea-Gulf of Suez area, *Eos, Transactions, American Geophysical Union*, 67 (44), 1208-1209, 1986.
- Ghalib, H., Seismic velocity structure and attenuation of the Arabian Plate, *Ph.D. dissertation, Graduate School of Saint Louis University*, 314, 1992.



- Giese, P., J. Makris, B. Akashe, P. Rower, H. Letz, and M. Mostaanpour, Seismic crustal studies in Southern Iran between the central Iran and Zagros belt, Geological Survey of Iran 51, edited by V. Madelat, pp. 71-89, 1983.
- Giese, P., J. Makris, B. Akashe, P. Rower, H. Letz, and M. Mostaanpour, The Crustal Structure in southern Iran Derived from Seismic Explosion Data, *Neuer Jahrbuch fuer Geologie und Palaeontologie*, 168 (2-3), 230-243, 1984.
- Ginzburg, A., and Z. Ben-Avraham, The deep structure of the central and southern Levant continental margin, *Annales Tectonicae*, 1 (2), 105-115, 1987.
- Ginzburg, A., and Y. Folkman, The crustal structure between the Dead Sea rift and the Mediterranean Sea, *Earth Planet. Sci. Lett.*, 51 (1), 181-188, 1980.
- Ginzburg, A., Y. Folkman, M. Rybacov, Y. Rotstein, R. Assael, and Z. Yuval. Israel, Bouguer Gravity map. The Institute for Petroleum Research and Geophysics, Israel 1993.
- Ginzburg, A., J. Makris, K. Fuchs, B. Perathoner, and C. Prodehl, Detailed structure of the crust and upper mantle along the Jordan-Dead Sea rift, *J. Geophys. Res.*, 84 (B10), 5605-5612, 1979.
- Ginzburg, A., J. Makris, K. Fuchs, and C. Prodehl, The structure of the crust and upper mantle in the Dead Sea rift, *Tectonophysics*, 80, 109-119, 1981.
- Ginzburg, A., J. Makris, K. Fuchs, C. Prodehl, W. Kaminski, and U. Amitai, A seismic study of the crust and upper mantle of the Jordan-Dead Sea rift and their transition toward the Mediterranean Sea, *J. Geophys. Res.*, 84 (B4), 1569-1582, 1979.
- Ginzburg, Avihu, K. Fuchs, J. Makris, Israel Geological Society, A transition zone in the crust along the Dead Sea - Gulf of Elat Rift, in *25 anniversary of the Israel Geological Society; annual meeting; abstracts of submitted papers*, 24 pp., Israel Geol. Soc., Jerusalem, Israel, 1979.
- Girdler, R. W., and D. A. McConnell, The 1990 to 1991 Sudan Earthquake Sequence and the Extent of the East African Rift System, *Science*, 264, 67-70, 1994.
- Hadiouche, Ouiza, and Walter Zuern, On the structure of the crust and upper mantle beneath the Afro-Arabian region from surface wave dispersion, *Tectonophysics*, 209 (1-4), 179-196, 1992.
- Hall, J. K., E. Schwartz, and R. L. W. Cleave, The Israeli DTM (Digital Terrain Map) project, in *Microcomputer Applications in Geology, II*, edited by J. T. Hanley, D. F. Merriam, pp. 111-118, Pergamon Press, 1990.

- Hatcher, R. D., I. Zietz, R. D. Regan, and M. Abu-Ajamieh, Sinistral strike-slip motion on the Dead Sea Rift: confirmation from new magnetic data, *Geology*, 9, 458-462, 1981.
- Healy, J. H., W. D. Mooney, H. R. Blank, M. E. Gettings, W. M. Kohler, R. J. Lamson, and L. E. Leone, *Saudi Arabian seismic deep-refraction profile: Final project report*, U. S. Geological Survey Open-File Report 02-37, 370 pp., 1982.
- Hofstetter, A., L. Feldman, and Y. Rotstein, Crustal structure of Israel: constraints from teleseismic and gravity data, *Geophys. J. Int.*, 104, 371-379, 1991.
- Ibrahim, K. E., M. N. Al-Akhras, and A. S. Bazuhair, Combined gravity and aeromagnetic surveys of the Khulais basin of western Saudi Arabia, *Journal of African Earth Sciences*, 17 (3), 373-381, 1994.
- Islami, A. A., A study of the depth of Mohorovicic discontinuity in western Iran and the velocity of P n wave, *J. Earth Space Phys.*, 1 (2), 1-12, 1972.
- Izzeldin, A. Y., Seismic, gravity and magnetic surveys in the central part of the Red Sea: their interpretation and implications for the structure and evolution of the Red Sea, *Tectonophysics*, 143, 269-306, 1987.
- Jackson, J. , and D. McKenzie, The relationship between plate motions and seismic moment tensors, and the rates of active deformation in the Mediterranean and Middle East, *Geophysical Journal*, 93, 45-73, 1988.
- Kadinsky-Cade, K., and M. Barazangi, Seismotectonics of southern Iran: the Oman line, *Tectonics*, 1 (5), 389-412, 1982.
- Kadinsky-Cade, K., M. Barazangi, J. Oliver, and B. Isacks, Lateral variations of high-frequency seismic wave-propagation at regional distances across the Turkish and Iranian Plateaus, *Journal of Geophysical Research*, 86 (B10), 9377-9396, 1981.
- Karakaisis, G. F., Long-term earthquake prediction along the North and East Anatolian Fault Zones based on the time- and magnitude-predictable model, *Geophys. J. Int.*, 116, 198-204, 1994.
- Khair, K., M. Khawlie, F. Haddad, M. Barazangi, D. Seber, and T. Chaimov, Bouguer gravity and crustal structure of the Dead Sea transform fault and adjacent mountain belts in Lebanon, *Geology*, 21, 739-742, 1993.
- Khawlie, M.R., Shaping the eastern Mediterranean coast by earthquakes: Lebanon, *Geology Today*, , 58-61, 1992.
- Kissel, Catherine, Olivier Averbuch, Dominique de Lamotte, Olivier Monod, and Simon Allerton, First paleomagnetic evidence for a post-Eocene clockwise rotation of the Western Taurides thrust belt east of the Isparta reentrant (Southwestern Turkey), *Earth and Planetary Science Letters*, 117, 1-14, 1993.

- Kovach, R. L., G. E. Andreasen, M. E. Gettings, and K. El-Kaysi, Geophysical investigations in Jordan, *Tectonophysics*, 180, 61-69, 1990.
- Krashennnikov, V.A., and J.K. Hall (editors), Geological Structure of the North-Eastern Mediterranean, Historical Productions-Hall Ltd., 396 pp, Jerusalem, 1994.
- Lamson, R. J., H. R. Blank, W. Mooney, and J. H. Healy, Seismic refraction observations across the oceanic-continental rift zone, Southwest Saudi Arabia, *Eos (Am. Geophys. Union, Trans.)*, 60 (46), 954, 1979.
- Litak, Robert K., Muawia Barazangi, Weldon Beauchamp, and Dogan Seber, Mesozoic-Cenozoic Evolution of the Euphrates Fault System, Syria: Implications for Regional Kinematics, (*submitted to GSA Bull.*), 1994.
- Makris, J., A. Allam, T. Mokhtar, A. Basahel, G.A. Dehghani, and M. Bazari, Crustal structure in the northwestern region of the Arabian shield and its transition to the Red Sea, *Bull. Fac. Earth Sci.*, 6, 435-447, 1983.
- Makris, J., Z. Ben Abraham, A. Behle, A. Ginzburg, P. Giese, L. Steinmetz, R. B. Whitmarsh, and S. Eleftheriou, Seismic refraction profiles between Cyprus and Israel and their interpretation, *Geophys. J. R. Astr. Soc.*, 75, 575-591, 1983.
- Makris, J., and A. Ginzburg, The Afar Depression: transition between continental rifting and sea-floor spreading, *Tectonophysics*, 141, 199-214, 1987.
- Makris, J., Christian H. Henke, Frank Egloff, and Thomas Akamaluk, The gravity field of the Red Sea and East Africa, *Tectonophysics*, 198, 369-381, 1991.
- Makris, J., H. Menzel, J. Zimmermann, and P. Gouin, Gravity field and crustal structure of North Ethiopia, in *Afar Depression of Ethiopia; Volume 1*, edited by Pilger, A., and A. Roesler, pp. 135-144, E. Schweizer. Verlagsbuchhandl. (Naegle u. Obermiller)Stuttgart, DEU, 1975.
- Makris, J., R. Rihm, and L. G. Gotz, Heat flow in the central Red Sea, *European Association of Exploration Geophysicists: 51st meeting and technical exhibition; technical programme and abstracts of papers*, 51, 194-195, 1989.
- Marzouk, I. A., Study of crustal structure of Egypt deduced from deep seismic and gravity data, *Ph.D. dissertation, University of Hamburg*, 118, 1988.
- McBride, J.H., M. Barazangi, J. Best, D. Al-Saad, T. Sawaf, M. Al-Otri, and A. Gebran, Seismic reflection structure of intracratonic Palmyride fold-thrust belt and surrounding Arabian platform, Syria, *American Association of Petroleum Geologists Bulletin*, 74, 238-259, 1990.

- Mechie, J., C. Prodehl, and G. Koptshalitsch, A ray-tracing and ray theoretical seismograms interpretation of the U. S. G. S. Saudi Arabian seismic line, *Jahrestagung der Deutschen Geophysikalischen Gesellschaft e.V.*, 45, 75, 1985.
- Mechie, J., C. Prodehl, and G. Koptshalitsch, Ray path interpretation of the crustal structure beneath Saudi Arabia, *Tectonophysics*, 131 (3-4), 333-352, 1986.
- Milkereit, B., and E. R. Flueh, Saudi Arabian refraction profile; crustal structure of the Red Sea-Arabian Shield transition, *Tectonophysics*, 111 (3-4), 283-298, 1985.
- Miller, John J., Warren F. Agena, and Myung W. Lee, Reprocessing of Reflection Seismic Lines R111 and R102, Risha Gas Field, Hashemite Kingdom of Jordan, U.S. Department of the Interior, U.S. Geological Survey; Open-File Report 92-680, 29, 1992.
- Mooney, W. D., M. E. Gettings, (eds.), *Interpretation of seismic deep-refraction line*, U. S. Geological Survey Professional Paper P 1375, 289 pp., 1983.
- Mooney, W. D., M. E. Gettings, H. R. Blank, and J. H. Healy, Saudi Arabian seismic-refraction profile: a traveltime interpretation of crustal and upper mantle structure, *Tectonophysics*, 111 (3-4), 173-246, 1985.
- Mooney, W. D., C. Prodehl, (eds.), *Proceedings of the 1980 workshop of the International Association of Seismology and Physics of the Earth's Interior on the seismic modeling of laterally varying structures: Contributions based on data from the 1978 Saudi Arabian refraction profile*, U.S. Geological Survey Circular 937, 158 pp., 1984.
- Morelli, Carlo, F. Barberi, Enzo Locardi, Carlo Morelli, A. Praturlon, P. Scandone, Livio Vezzani, and Forese-Carlo Wezel, Geophysical knowledge of Italy and surrounding seas, *Memorie della Societa Geologica Italiana*, 24 (3), 521-530, 1982.
- Moskalenko, V. N., Yu. P. Neprochnov, and V. B. Sollogub, Structure of the consolidated crust and upper mantle: structure of the Mohorovicic surface, in *Structure and evolution of the crust and upper mantle of the Black Sea*, Rezul'taty issledovaniy po mezhdunarodnym geofizicheskim proyektam, edited by Belousov, V. V., and B. S. Vol'vovskiy, pp. 135-136, Izd. Nauka, Moscow, SUN, 1989.
- Ni, J., and M. Barazangi, Seismotectonics of the Zagros continental collision zone and a comparison with the Himalayas, *Journal of Geophysical Research*, 91, 8205-8218, 1986.
- Prodehl, C., Interpretation of a seismic-refraction survey across the Arabian Shield in western Saudi Arabia, *Tectonophysics*, 111 (3-4), 247-282, 1985.

- Richter, H., J. Makris, and R. Rihm, Geophysical observations offshore Saudi Arabia: seismic and magnetic measurements, *Tectonophysics*, 198, 297-310, 1991.
- Rihm, R., J. Makris, and L. Moller, Seismic surveys in the Northern Red Sea: asymmetric crustal structure, *Tectonophysics*, 198, 279-295, 1991.
- Rotstein, Y., and Y. Bartov, Seismic reflection across a continental transform: an example from a convergent segment of the Dead Sea Rift, *Journal of Geophysical Research*, 94, 2902-2912, 1989.
- Rotstein, Y., and A. Kafka, Seismotectonics of the southern boundary of Anatolia, eastern Mediterranean region: subduction, collision, and arc jumping., *Journal of Geophysical Research*, 87, 7694-7706, 1982.
- Rotstein, Y., Z. Yuval, and P. Trachtman, Deep seismic reflection studies in Israel -- an update, *Geophys. J. R. Astr. Soc.*, 89, 389-393, 1987.
- Seber, D., M. Barazangi, T. Chaimov, D. Al-Saad, T. Sawaf, and M. Khaddour, Geometry and velocity structure of the Palmyride fold-thrust belt and surrounding Arabian platform in Syria, *Bulletin of Earth Sciences, Cukurova University, Adana, Turkey*, 20, 103-110, 1992.
- Seber, D., M. Barazangi, T.A. Chaimov, D. Al-Saad, T. Sawaf, and M. Khaddour, Upper crustal velocity structure and basement morphology beneath the intracontinental Palmyride fold-thrust belt and north Arabian platform in Syria, *Geophysical Journal International*, 113, 752-766, 1993.
- Seber, D., and B.J. Mitchell, Attenuation of surface waves across the Arabian peninsula, *Tectonophysics*, 204, 137-150, 1992.
- Seno, Tetsuzo, and Akira Saito, Recent East African earthquakes in the lower crust, *Earth and Planetary Science Letters*, 121, 125-136, 1994.
- Snyder, D. B., and M. Barazangi, Deep crustal structure and flexure of the Arabian Plate beneath the Zagros collisional mountain belt as inferred from gravity observations, *Tectonics*, 5 (3), 361-373, 1986.
- Snyder, D. B., and M. Barazangi, Deep crustal structure and flexure of the Arabian Plate beneath the Zagros collisional mountain belt as inferred from gravity observations [Abstract], *Eos, Transactions, American Geophysical Union*, 66 (46), 1074, 1985.
- Straub, Christian, and Hans-Gert Kahle, Global Positioning System (GPS) estimates of crustal deformation in the Marmara Sea Region, Northwestern Anatolia, *Earth and Planetary Science Letters*, 121, 495-502, 1994.
- ten Brink, U. S., Z. Ben-Avraham, R. E. Bell, M. Hassounah, D. F. Coleman, G. Andreasen, G. Tibor, and B. Coakley, Structure of the Dead Sea Pull-Apart

Basin From Gravity Analyses, *Journal of Geophysical Research*, 98 (B12), 21,877-21,894, 1993.

van Eck, T., and A. Hofstetter, Fault geometry and spatial clustering of microearthquakes along the Dead Sea-Jordan rift fault zone, *Tectonophysics*, 180, 15-27, 1990.

Young, M. E., A. Y. Izzeldin, H. Granser, and A. F. Burr, Bouguer and isostatic gravity anomalies in NW Sudan and their implication for petroleum exploration, 1989.

Yuval, Z., Preliminary results of a deep seismic reflection profile from Zohar to Ashqelon, *Israel Geological Society Annual Meeting*, 1985, 107, 1985.

Yuval, Z., and Y. Rotstein, Deep crustal reflection survey in central Israel, *Journal of Geodynamics*, 8 (1), 17-31, 1987.

## NORTH AFRICA: GEOLOGY

Ait Brahim, L., Role of the Atlasic trends in the neotectonic and present evolution of the Rif and its foreland (Morocco), in *Structure and Evolution of the Atlas Mountain System in Morocco*, Abstract volume, 42 pp., Berlin, 1990.

Ait Brahim, L., and P. Chotin, Oriental Moroccan Neogene volcanism and strike-slip faulting, *Journal of African Earth Sciences*, 11, 273-280, 1990.

Ait Brahim, L., P. Chotin, B. Tadili, and M. Ramdani, The Targuist seismogene zone and its relation with the thrust front of the external domain on the foreland (Rif, Morocco), in *Structure and evolution of the Atlas Mountain System in Morocco*, Abstract volume, 43 pp., Berlin, 1990.

Asebriy, L., J. Bourgois, T. E. Cherkaoui, and A. Azdimousa, Evolution tectonique recente de la zone de faille du Nekor: importance paleogeographique et structurale dans le Rif externe, Maroc, *Journal of African Sciences and the Middle East*, 17 (1), 65-74, 1993.

Azdimousa, A., and J. Bourgois, Les communications entre l'Atlantique et la Mediterranee par le couloir sud-rifain du Tortonien a l'actuel: stratigraphie sequentielle des bassins neogenes de la region du cap de Trois Fourches (Rif Oriental, Maroc), *Journal of African Earth Sciences*, 17 (2), 233-240, 1993.

Bensaid, M., J. Kutina, A. Mahmood, and M. Saadi, Structural evolution of Morocco and new ideas on basement controls of mineralization, *Global Tectonics and Metallogeny*, 3, 59-69, 1985.

Bergerat, Françoise, Stress fields in the European platform at the time of Africa-Eurasia collision, *Tectonics*, 6 (2), 99-132, 1987.

- Berrahma, M., M. Delaloye, A. Faure-Muret, and H. E. N. Rachdi, Premières données géochronologiques sur le volcanisme alcalin du Jbel Saghro, Anti-Atlas, Maroc, *Journal of African Earth Sciences*, 17 (3), 333-341, 1994.
- Black, R., and J. Fabre, A brief outline of the geology of west Africa, in *West Africa: Geological Introduction and Stratigraphic terms*, edited by Fabre, J., pp. 17-26, Pergamon Press, Oxford, 1983.
- Boccaletti, M., G. Cello, and L. Tortorici, Structure and tectonic significance of the north-south axis of Tunisia, *Annales Tectonicae*, 2, 12-20, 1988.
- Bufo, E., A. Udias, and M.A. Colombas, Seismicity, source mechanisms and tectonics of the Azores-Gibraltar plate boundary, *Tectonophysics*, 152, 89-118, 1988.
- Cahen, L., and N.J. Snelling, The geochronology and evolution of Africa, 512 pp., Clarendon Press, Oxford, 1984.
- Caire, A., Eastern Atlas, in *Mesozoic-Cenozoic Orogenic Belts*, edited by A. Spencer, pp. 47-59, Scottish Academic Press, Edinburgh, 1974.
- Chekhovich, V.D., and L.P. Zonenshayn, Main features of structure and tectonic development of the North African folded region in the Mesozoic and Cenozoic, *Geotectonics*, 10, 178-188, 1976.
- Chorowicz, Jean, El Mehdi Alem, Ali Bahmad, Hamid Chari, Abdesslam El Kochri, Fida Medina, and Guy Tamain, Les anticlinaux éjectifs du Haut Atlas: résultat de tectoniques atlasiques superposées, *C. R. Acad. Sc. Paris*, 294 (2), 271, 1982.
- Choubert, G., and A. Faure-Muret, Anti-Atlas, in *West Africa: Geological Introduction and Stratigraphic Terms*, edited by Fabre, J., pp. 80-95, Pergamon Press, Oxford, 1983.
- Choubert, G., and A. Faure-Muret, Moroccan Rif, in *Mesozoic-Cenozoic Orogenic Belts*, edited by Spencer, A., pp. 37-46, Scottish Academic Press, Edinburgh, 1974.
- Cohen, C.R., Plate tectonic model for the Oligo-Miocene evolution of the western Mediterranean, *Tectonophysics*, 68, 283-311, 1980.
- Davidson, Jon P., and Ian R. Wilson, Evolution of an alkali basalt-trachyte suite from Jebel Marra volcano, Sudan, through assimilation and fractional crystallization, *Earth and Planetary Science Letters*, 95, 141-160, 1989.
- Dennison, B., and V.N. Mansfield, Proterozoic oceanic crust at Bou Azzer, *Nature*, 261, 34-35, 1976.



- Dercourt, J., et al., Geological evolution of the Tethys belt from the Atlantic to the Pamirs since the Lias, *Tectonophysics*, 123, 241-315, 1986.
- Dewey, J. F., Pitman III, Ryan W. C., Bonnin W. B. F., J., Plate tectonics and the evolution of the Alpine system, *Geological Society of America Bulletin*, 84, 3137-3180, 1973.
- Dewey, J., M. Helman, E. Turco, D. Hutton, and S. Knott, Kinematics of the western Mediterranean, in *Alpine Tectonics*, edited by Coward, M., D. Dietrich, and R. Park, pp. 265-283, Geol. Soc. Special pub. No. 45, Oxford, 1989.
- Diot, H., and J-L. Bouchez, Structure des massifs granitiques de la Meseta marocaine, marqueurs geodynamiques: Aouli-Bou-Mia (Haute-Moulouya), Zaër (Massif Central) et Sebt de Brikiine (Rehamna), *Géologie Méditerranéenne*, 18 (1-2), 81-97, 1991.
- Doblas, M., and R. Oyarzun, Neogene extensional collapse in the western Mediterranean (Betic-Rif Alpine orogenic belt): implications for the genesis of the Gibraltar arc and magmatic activity, *Geology*, 17, 430-433, 1989.
- Dresnay, R., Recent data on the geology of the Middle-Atlas (Morocco), in *The Atlas System of Morocco*, edited by Jacobshagen, V., pp. 293-320, Springer-Verlag, Berlin, 1988.
- Durand-Delga, M., and P. Olivier, Evolution of the Alboran block margin from Early Mesozoic to Early Miocene time, *The Atlas System of Morocco*, 15, 465-480, 1988.
- Fraissinet, C., E.M. Zouine, J. L. Morel, A. Poisson, J. Andrieux, and A. Faure-Muret, Structural evolution of the southern and northern Central High Atlas in Paleogene and Mio-Pliocene times, in *The Atlas System of Morocco*, edited by Jacobshagen, V., pp. 273-291, Springer-Verlag, Berlin, 1988.
- Froitzheim, N., J. Stets, and P. Wurster, Aspects of Western High Atlas tectonics, in *The Atlas System of Morocco*, edited by Jacobshagen, V., pp. 219-244, Springer-Verlag, Berlin, 1988.
- Geiss, E., and H. Drewes, Research on kinematics and structure of the Mediterranean Sea, *Jahrestagung der Deutschen Geophysikalischen Gesellschaft e.V.*, 45, 169, 1985.
- Giese, P., Structure and evolution of the Atlas mountain system in Morocco and structure and evolution of the Central Andes in Northern Chile, Southern Bolivia and Northwestern Argentina, in *Abstract Volume*, 104 pp., Berlin, 1990.
- Giese, P., V. Haak, V. Jacobshagen, and K. J. Reutter, Mobilization of a continental margin; a subduction-induced process, *Forschung (Boppard)*, 16, 115-134, 1987.

- Guiraud, R., Y. Bellion, J. Benkhelil, and C. Moreau, Post-Hercynian tectonics in Northern and Western Africa, *Geological Journal*, 22, 433-466, 1987.
- Harmand, C., and J. M. Cantagrel, Le volcanisme alcalin Tertiaire et Quaternaire du Moyen Atlas (Maroc): chronologie K/Ar et cadre géodynamique, *Journal of African Earth Sciences*, 2, 51-55, 1984.
- Hinz, K., H. Dostmann, and J. Fritsch, The continental margin of Morocco: seismic sequences, structural elements, and geological development, in *Geology of the Northwest African Continental Margin*, edited by U. von Rad, et al., pp. 34-60, Springer-Verlag, Berlin, 1982.
- Hurley, P. M., A. Boudda, W. H. Kanes, and A. E. M. Nairn, A plate tectonics origin for late Precambrian-Paleozoic orogenic belt in Morocco, *Geology*, 2, 343-344, 1974.
- Jabour, H., and K. Nakayama, Basin modeling of Tadla basin, Morocco, for hydrocarbon potential, *The American Association of Petroleum Geologists Bulletin*, 72, 1059-1073, 1988.
- Jacobshagen, V., Geodynamic evolution of the Atlas system, Morocco: an introduction, in *The Atlas System of Morocco*, edited by V. Jacobshagen, pp. 3-9, Springer-Verlag, Berlin, 1988.
- Jacobshagen, V., R. Brede, M. Hauptmann, W. Heinitz, and R. Zylka, Structure and post-Paleozoic evolution of the central High Atlas, in *The Atlas System of Morocco*, edited by Jacobshagen, V., pp. 245-271, Springer-Verlag, Berlin, 1988.
- Jacobshagen, V., and P. Giese, The Atlas system of Morocco: geodynamic evolution in post-Paleozoic times, in *Structure and Evolution of the Atlas Mountain System in Morocco, Abstract Volume*, 21 pp., Berlin, 1990.
- Jacobshagen, V., K. Görler, and P. Giese, Geodynamic evolution of the Atlas System (Morocco) in post-Paleozoic times, in *The Atlas System of Morocco*, edited by Jacobshagen, V., pp. 481-499, Springer-Verlag, Berlin, 1988.
- Jaffrezo, Michel, Fida Medina, and Jean Chorowicz, Données microbiostratigraphiques sur le Jurassique supérieur du Bassin de l'Ouest marocain. Comparaison avec les résultats du LEG 79 D.S.D.P. et de la Campagne Cyamaz (1982), *Bull. Soc. géol. France*, 1 (6), 875-884, 1985.
- Kanes, W., M. Saadi, E. Ehrlich, and A. Alem, Moroccan crustal response to continental drift, *Science*, 180, 950-952, 1973.
- Lagarde, J.L., and A. Michard, Stretching normal to the regional thrust displacement in a thrust-wrench shear zone, Rehamna Massif, Morocco, *Journal of Structural Geology*, 8, 483-492, 1986.

- Laville, E., and A. Piqué, Structural and orogenic inversions in the Central High Atlas (Morocco): a tectonic model, in *Structure and Evolution of the Atlas Mountain System in Morocco, Abstract Volume*, 13 pp., Berlin, 1990.
- Laville, E., and J.-P. Petit, Role of synsedimentary strike-slip faults in the formation of Moroccan Triassic basins, *Geology*, 12, 424-427, 1984.
- Laville, Edgard, and Alain Piqué, La distension crustale atlantique et atlasique au Maroc au début du Mésozoïque: le jeu des structures hercyniennes, *Bull. Soc. géol. France*, 162 (6), 1161-1171, 1991.
- Le Pichon, Xavier, Françoise Bergerat, and Marie-José Roulet, Plate kinematics and tectonics leading to the Alpine belt formation; A new analysis, *Geological Society of America, Special Paper 218*, , 111-131, 1988.
- Leblanc, D., and Ph. Olivier, Role of strike-slip faults in the Betic-Rifian Orogeny, *Tectonophysics*, 101, 345-355, 1984.
- Leblanc, M., Proterozoic oceanic crust at Bou Azzer, *Nature*, 261, 34-35, 1976.
- Leblanc, M., The late Proterozoic ophiolites of Bou Azzer (Morocco): evidence for Pan-African plate tectonics, in *Precambrian Plate Tectonics*, edited by Kröner, A., pp. 435-451, Elsevier Scientific Publishing Co. , Amsterdam, New York, 1981.
- Loneragan, Lidia, and John Paul Platt, The Internal-External Zone Boundary in the eastern Betic Cordillera, SE Spain, *Journal of Structural Geology*, 16, 175-188, 1994.
- Loomis, T.P., Tertiary mantle diapirism, orogeny, and plate tectonics east of the Strait of Gibraltar, *American Journal of Science*, 275, 1-30, 1975.
- Madeira, J., and A. Ribeiro, Geodynamics models for the Azores triple junction: a contribution from tectonics, *Tectonophysics*, 184, 405-415, 1990.
- Manspeizer, W., J. Puffer, and H. Cousminer, Separation of Morocco and eastern North America: a Triassic-Liassic stratigraphic record, *Geological Society of America Bulletin*, 89, 901-920, 1978.
- Mattauer, M., F. Proust, and P. Tapponnier, Major strike-slip fault of late Hercynian age in Morocco, *Nature*, 237, 160-162, 1972.
- Mattauer, M., P. Tapponnier, and F. Proust, Sur les mécanismes de formation des chaînes intracontinentales. L'exemple des chaînes atlasiques du Maroc, *Bull. Soc. Géol. France*, 7, 521-526, 1977.
- McKenzie, D., Active tectonics of the Mediterranean region, *Geophys. J.R. Astr. Soc.*, 30, 109-185, 1972.

- Medina, F., Landsat imagery interpretation of Essaouira basin (Morocco): comparison with geophysical data, and structural implications, *Journal of African Earth Sciences*, 9 (1), 69-75, 1989.
- Medina, F. , Tilted-blocks pattern, paleostress orientation and amount of extension, related to Triassic early rifting of the Central Atlantic in the Amzri area (Argana basin, Morocco), *Tectonophysics*, 148, 229-233, 1988.
- Medina, Fida, Superimposed extensional tectonics in the Argana Triassic formations (Morocco), related to the early rifting of the Central Atlantic, *Geol. Mag.*, 128 (5), 525-536, 1991.
- Medina, Fida, Extensional tectonics in the El Jadida-Agadir (Morocco) Triassic-Liassic basin during the early rifting of the Central Atlantic, *Garcia de Orta, Sér. Geol., Lisboa*, 12 (1-2), 21-36, 1989.
- Medina, Fida, Le Jurassique des régions d'Imi n'Tanout et Chichaoua: lithostratigraphie et corrélations, *Bull. Inst. Sci., Rabat*, 13, 5-16, 1989.
- Medina, Fida, and Taj-Eddine Cherkaoui, Mécanismes au foyer des séismes du Maroc et des régions voisines (1959-1986). Conséquences tectoniques, *Eclogae geol. Helv.* , 85 (2), 433-457, 1992.
- Michard, A., Eléments de géologie Marocaine, in *Notes Mém. Serv. Géol.*, 408 pp., Rabat, 1976.
- Michard, André, Bruno Goffé, Ahmed Chalouan, and Omar Saddiqi, Les corrélations entre les Chaînes bético-rifaines et les Alpes et leurs conséquences, *Bull. Soc. géol. France*, 162 (6), 1151-1160, 1991.
- Miranda, J. M., J. Freire Luis, I. Abreu, L. A. Mendes Victor, A. Galdeano, and J. C. Rossignol, Tectonic framework of the Azores triple junction, *Geophysical Research Letters*, 18, 1421-1424, 1991.
- Morel, Jean-Luc, El Mostafa Zouine, and Andre Poisson, Relations entre la subsidence des bassins moulouyens et la création des reliefs atlasiques (Maroc): un exemple d'inversion tectonique depuis le Néogène, *Bull. Soc. géol. France*, 164 (1), 79-91, 1993.
- Morley, C.K., Origin of a major cross-element zone: Moroccan Rif, *Geology*, 15, 761-764, 1987.
- Oukemeni, D., and J. H. Bourne, Etude géochimique des granitoides du pluton d'Aouli, Haute Moulouya, Maroc, *Journal of African Sciences* , 17 (4), 429-443, 1993.
- Pique, A., M. Dahmani, D. Jeannette, and L. Bahi, Permanence of structural lines in Morocco from Precambrian to present, *Journal of African Earth Sciences*, 6, 247-256, 1987.

- Piqué, A., D. Jeannette, and A. Michard, The Western Meseta shear zone, a major and permanent feature of the Hercynian belt in Morocco, *Journal of Structural Geology*, 2, 55-61, 1980.
- Pique, A., and A. Michard, Moroccan hercynides: a synopsis. The Paleozoic sedimentary and tectonic evolution at the northern margin of West Africa, *American Journal of Science*, 289, 286-330, 1989.
- Rabchevsky, G.A., Tectonic evolution of the Moroccan landscape, *Earth Science*, , 153-155, 1979.
- Ragab, A. I., A geodynamic model for the distribution of the oceanic plate slivers within a Pan-African orogenic belt, Eastern Desert, Egypt, *J. Geodynamics*, 17 (1-2), 21-26, 1993.
- Reuber, I., A. Michard, A. Chalouan, T. Juteau, and B. Jermoumi, Structure and emplacement of the alpine-type peridotites from Beni Bousera, Rif, Morocco: a polyphase tectonic interpretation, *Tectonophysics*, 82, 231-251, 1982.
- Rod, E., Fault pattern, northwest corner of Sahara Shield, *Bulletin of the American Association of Petroleum Geologists*, 46, 529-552, 1962.
- Rondeel, H.E., and O.J. Simon, Betic Cordilleras, in *Mesozoic-Cenozoic Orogenic Belts*, edited by Spencer, A., pp. 23-35, Scottish Academic Press , Edinburgh, 1974.
- Saadi, M., Les grandes fractures du Maroc et leurs relations avec la structure géologique, la sismicité, le volcanisme et les gîtes minéraux, in *Notes et Mémoires du Service Géologique*, 123 pp., Editions du Service Géologique du Maroc , Rabat, 1988.
- Sage, L., and J. Letouzey, Convergence of the African and Eurasian plate in the Eastern Mediterranean, in *Petroleum and Tectonics in Mobile Belts; proceedings of the IFP exploration and production research conference*, edited by J. Letouzey, pp. 49-68, Editions Technip, Paris, 1990.
- Sanz de Galdeano, C., Geologic evolution of the Betic Cordilleras in the Western Mediterranean, Miocene to the present, *Tectonophysics*, 172, 107-119, 1990.
- Schaer, J. P., Evolution and structure of the High Atlas of Morocco, in *The Anatomy of Mountain Ranges*, edited by Schaer, J. P., and J. Rodgers, pp. 107-127, Princeton University Press, New Jersey, 1987.
- Sichler, B., J.-L. Olivet, J.-M. Auzende, H. Jonquet, J. Bonnin, and A. Bonifay, Mobility of Morocco, *Can. J. Earth Sci*, 17, 1546-1558, 1980.

- Snoke, A., S. Schamel, and R. Karasek, Structural evolution of Djebel Debadib Anticline: a clue to the regional tectonic style of the Tunsian Atlas, *Tectonics*, 7, 497-516, 1988.
- Stets, J., and P. Wurster, Atlas and Atlantic - structural relations, in *Geology of the Northwest African Continental Margin*, edited by von Rad, U., et al., pp. 69-85, Springer-Verlag, Berlin, 1982.
- Wallbrecher, E., The Anti-Atlas system: An overview, in *The Atlas System of Morocco*, edited by Jacobshagen, V., pp. 13-17, Springer-Verlag, Berlin, 1988.
- Warme, J., Jurassic carbonate facies of the central and eastern High Atlas rift, Morocco, in *The Atlas System of Morocco*, edited by Jacobshagen, V., pp. 169-199, Springer-Verlag, Berlin, 1988.
- Wdowinski, Shimon, Continuum models of continental deformation, in *Harvard University, Doctoral Thesis*, 150 pp., 1990.
- Weisrock, A., Neotectonic and coastal morphology in the Atlantic Atlas (Morocco), *Z. Geomorph. N.F.*, 40, 175-182, 1981.

## NORTH AFRICA: GEOPHYSICS

- Abdelhady, Y. E., A. Tealeb, and F. A. Ghaib, Tectonic Trends inferred from Gravity Field Analysis in the Sinjar Area, Northwest Iraq, *International Basement Tectonics Association*, 4, 237-244, 1983.
- Allerton, Simon, L. Lonergan, J. P. Platt, E. S. Platzman, and E. McClelland, Palaeomagnetic rotations in the eastern Betic Cordillera, southern Spain, *Earth and Planetary Science Letters*, 119, 225-241, 1993.
- Ambraseys, N. N., and R. D. Adams, Seismicity of West Africa, *Annales Geophysicae*, 4, 679-702, 1986.
- Bahmad, A., H. Chari, A. Djerrari, A. El Kochri, E. A. Hilali, D. Ratz, T. Saqalli, and A. L. G. Tamain, Remote sensing applied to basement tectonics of the Calcareous High Atlas (Morocco), *Photogrammetria*, 37, 131-150, 1982.
- Bellot, A., Gravimetrie du Rif Paleozoique Maroc, in *These Docteur Ingenieur, Centre Geologique et Geophysique*, 140 pp., Universite de Montpellier II, Montpellier, France, 1985.
- Ben Sari, D., Connaissance Geophysique du Maroc, in *These presentee A L'universite Grenoble I Scientifique et Medicale*, 262 pp., Grenoble, France, 1978.

- Ben Sari, D., Connaissance Geophysique du Maroc, in *Centre National de coordination et de Planification de la Recherche Scientifique et Technique*, 207 pp., 1987.
- Ben Sari, D., Latest Developments of Seismology in Morocco, in *MedNet: The Broad-band Seismic network for the Mediterranean*, edited by Boschi, E., D. Giardini, and A. Morelli, pp. 502-510, Istituto Nazionale di Geofisica, 1991.
- Böhme, Rolf, *Inventory of World Topographic Mapping*, edited by Roger Anson, pp. 279-284, Elsevier Applied Science Publishers, London, 1993.
- Bonnin, Jean, and Jean-Louis Olivet, Geodynamics of the Mediterranean regions, in *Seismic Hazard in Mediterranean Regions*, edited by J. Bonnin et al., pp. 257-281, ECSC, EEC, EAEC, Brussels, 1988.
- Boschi, E., D. Giardini, A. Morelli, (editors), *MedNet: The Broad-Band Seismic Network for the mediterranean*, 514 pp., Istituto Nazionale di geofisica, 1991.
- Buhl, P., M. Torne, A. Watts, A. Mauffret, and G. Pascal, Wide aperture seismic profiling in the Gulf of Valencia; young Moho and constraints on modes of extension, *Eos, Transactions, American Geophysical Union*, 71 (43), 1634, 1990.
- Buness, H., P. Giese, C. Bobier, C. Eva, F. Merlanti, R. Pedone, L. Jenatton, D. T. Nguyen, F. Thouvenot, F. Egloff, J. Makris, A. Lozej, M. Maistrello, S. Scarascia, I. Tabacco, P. F. Burollet, C. Morelli, R. Nicholich, T. Zaghouani, A. Egger, R. Freeman, and S. Mueller, The EGT'85 seismic experiment in Tunisia; a reconnaissance of the deep structures, *Tectonophysics*, 207 (1-2), 245-267, 1992.
- Casas, A., and A. Carbo, Deep structure of the Betic Cordillera derived from the interpretation of a complete Bouguer anomaly map, *Journal of Geodynamics*, 12, 137-147, 1990.
- Cherkaoui, T.-E., Contribution a l'etude de l'alea sismique au Maroc, etude detaillee du seisme d'Agadir (29/2/1960), etude de la microsismicite de la region d'Al-Hoceima, in *Thèse Docteur Es-Sciences*, 247 pp., Universite Joseph Fourier de Grenoble, France, 1991.
- Cherkaoui, T.-E., F. Medina, and D. Hatzfeld, The Agadir earthquake of February 29, 1960. Examination of some of the parameters, in *Seismicity, Seismotectonics and Seismic Risk of the Ibero-Maghrebian Region, Monografia No.8*, edited by Mezcuá, J., and A. Udias, pp. 133-148, Instituto Geografico Nacional, Madrid, Spain, 1991.
- Cherkaoui, Taj-Eddine, Denis Hatzfeld, Hassan Jebli, Fida Medina, and Véronique Caillot, Etude microsismique de la région d'Al Hoceima, *Bull. Inst. Sci., Rabat*, 14, 25-34, 1990.



- Craglietto, A., G. F. Panza, B. J. Mitchell, and G. Costa, Anelastic properties of the crust in the Mediterranean area, *Geophysical Monograph*, 51, 179-196, 1989.
- Danobeitia, J. J., M. Arguedas, J. Gallart, Enric Banda, and J. Makris, Deep crustal configuration of the Valencia Trough and its Iberian and Balearic borders from extensive refraction and wide-angle reflection seismic profiling, *Tectonophysics*, 203 (1-4), 37-55, 1992.
- de Voogd, B., C. Truffert, N. Chamot-Rooke, P. Huchon, S. Lallemant, and X. Le Pichon, Two-ship deep seismic soundings in the basins of the eastern Mediterranean Sea (Pasiphae cruise), *Geophysical Journal International*, 109 (3), 536-552, 1992.
- Demnati, A., Krustenstruktur in Rif-Bereich von Nord-Marokko aus gravimetrischen und aeromagnetischen regionalmessungen, *Bollettino di Geofisica Teorica ed Applicata*, 14 (55), 203-236, 1972.
- Elmrabet, T., A. Levret, M. Ramdani, and B. Tadili, Historical seismicity in Morocco: Methodological aspects and cases of multidisciplinary evaluation, in *Seismicity, Seismotectonics and Seismic Risk of the Ibero-Maghrebian Region, Monografia No.8*, edited by Mezcuá, J., and A. Udias, pp. 115-129, Instituto Geografico Nacional, Madrid, Spain, 1991.
- Ferrucci, F., G. Gaudiosi, A. Hirn, and R. Nicolich, Ionian Basin and Calabria Arc; some new elements from DSS data, *Tectonophysics*, 195 (2-4), 411-419, 1991.
- Ferrucci, F., G. Gaudiosi, N. A. Pino, G. Luongo, A. Hirn, and L. Mirabile, Seismic detection of a major Moho upheaval beneath the Campania volcanic area (Naples, southern Italy), *Geophysical Research Letters*, 16 (11), 1317-1320, 1989.
- Geiss, E., A new compilation of crustal thickness data for the Mediterranean area, *Annales Geophysicae, Series B: Terrestrial and Planetary Physics*, 5 (6), 623-630, 1987.
- Geiss, Erwin, The lithosphere in the Mediterranean region; a contribution on structure, gravity field and deformation, *Deutsche Geodaetische Kommission bei der Bayerischen Akademie der Wissenschaften, Reihe C: Dissertationen, University of Munich, Doctoral Thesis*, 332, 115, 1987.
- Giardini, Domenico, Enzo Boschi, and Barbara Palombo, Moment tensor inversion from MEDNET data (2) regional earthquakes of the Mediterranean, *Geophysical Research Letter*, 20 (4), 273-276, 1993.
- Grimson, N. L., and W. Chen, Source mechanism of four recent earthquakes along the Azores-Gibraltar plate boundary, *Geophys. J. R. Astr. Soc.*, 92, 391-401, 1988.

- Grimson, N.L., and W. Chen, The Azores-Gibraltar plate boundary: focal mechanism, depths of earthquakes and their tectonic implications, *J. Geophys. Res.*, **92**, 2029-2047, 1986.
- H'Faiedh, M., J. Dorel, and J. Dubois, Crustal anomalies under the Tunisian seismograph array using teleseismic P waves, *Tectonophysics*, **118** (1-2), 131-141, 1985.
- Harjes, H.-P., and H. Krummel, Combined processing of seismic reflection and borehole measurements in the Moroccan basin offshore NW-Africa at DSDP-Site 416, *Geologische Rundschau*, **78** (3), 691-703, 1989.
- Hatzfeld, D., and D. Ben Sari, Grands profils sismiques dans la région de l'arc de Gibraltar, *Bull. Soc. Géol. Fr.*, **19**, 749-756, 1977.
- Hatzfeld, D., and M. Frogneux, Intermediate depth seismicity in the western Mediterranean unrelated to subduction of oceanic lithosphere, *Nature*, **292**, 443-445, 1981.
- Hatzfeld, D., and V. Caillot, T.-E. Cherkaoui, H. Jebli, and F. Medina, Microearthquake seismicity and fault plane solutions around the Nékor strike-slip fault, Morocco, *Earth and Planetary Science Letters*, **120**, 31-41, 1993.
- Hildenbrand, T., R. Kucks, M. Hamouda, and A. Bellot, Bouguer gravity map and related filtered anomaly maps of Morocco, *U.S. Geological Survey Open-File Report*, **88-517**, 15, 1988.
- Levret, A., The effects of the November 1, 1755 "Lisbon" earthquake in Morocco, *Tectonophysics*, **193**, 83-94, 1991.
- Livieratos, E., and M. Zadro, Multiple-input linear systems in geoprocesses; an analysis of geophysical data across the eastern continental Hellenic margin, *Acta Geophysica Polonica*, **33** (2), 135-146, 1985.
- Makris, J., A. Demnati, and J. Klubmann, Deep seismic soundings in Morocco and a crust and upper mantle model deduced from seismic and gravity data, *Annales Geophysicae*, **3**, 369-380, 1985.
- Makris, J., R. Nicolich, and W. Weigel, Crustal structures in the Ionian Sea, *Rapports et Procès Verbaux des Réunions - Commission Internationale pour l'Exploration Scientifique de la Mer Méditerranée*, **29** (2), 73-75, 1985.
- Makris, J., and V. Niemann, Deep seismic sounding in southern Morocco, *Jahrestagung der Deutschen Geophysikalischen Gesellschaft e.V.*, **41**, 85, 1981.
- Makris, J., R. Rihm, and A. Allam, Some Geophysical Aspects of the Evolution and Structure of the Crust in Egypt, in *The Pan-African Belt of Northeast Africa and Adjacent Areas, Tectonic Evolution and Economic Aspects of a Late*

*Proterozoic Orogen*, edited by Samir El-Gaby and Reinhard O. Greiling, pp. 345-369, Friedr. Vieweg & Sohn, Braunschweig, 1988.

Mantovani, E., D. Albarello, and M. Mucciarelli, Evidence of interconnection between seismic activity in the Iberian Peninsula and North African belts, *Physics of the Earth and Planetary Interiors*, 54, 116-119, 1989.

Mezcua, J., and A. (editors) Udias, *Seismicity, Seismotectonics and Seismic Risk of the Ibero-Maghrebian Region*, Monografia No. 8, 390 pp., Instituto Geografico Nacional, Madrid, Spain, 1991.

Milano, G., and I. Guerra, DSS profiling across the Eolian Islands volcanic region (Tyrrhenian Sea, Italy), *Bulletin - New Mexico Bureau of Mines & Mineral Resources*, 131, 190, 1989.

Morelli, Carlo, F. Barberi, Enzo Locardi, Carlo Morelli, A. Praturlon, P. Scandone, Livio Vezzani, and Forese-Carlo Wezel, Geophysical knowledge of Italy and surrounding seas, *Memorie della Societa Geologica Italiana*, 24 (3), 521-530, 1982.

Moskalenko, V. N., Migration of the subduction zone in the eastern Mediterranean, *Geotectonics*, 24 (5), 451-459, 1991.

Nairn, E.A.M., H.C. Noltimier, and B. Nairn, Surface magnetic survey of the Souss Basin, southwestern Morocco: evaluation of the tectonic role postulated for the Agadir and Tarfaya fault zones and the South Atlas flexure, *Tectonophysics*, 64, 235-248, 1980.

Najid, D., M. Westphal, and J. Hernandez, Paleomagnetism of Quaternary and Miocene lavas from north-east and central Morocco, *J. Geophys*, 49, 149-152, 1981.

Ocal, N., Fault plane solutions for Agadir, Morocco, earthquake of February 29, 1960 and Skoplje, Yugoslavia, earthquake of July 26, 1963, *Bull. Inter. Inst. Seismol. Earthquake Eng.*, 1, 1-7, 1964.

Pinet, B., L. Montadert, A. Mascle, M. Cazes, and C. Bois, New insights of the structure and formation of sedimentary basins from deep seismic profiling in Western Europe, in *Petroleum geology of north west Europe*, edited by Brooks, James, and Kenneth W. Glennie, pp. 11-31, Graham & Trotman London, GBR, 1987.

Ramdani, F., On the structure and Dynamics of the Moroccan Atlas System, *Ph.D. dissertation, Freien Universität Berlin*, 68 pp, 1993.

Ramdani, M., Etude sismotectonique du Nord du Maroc, in *Thèse Docteur Es-Sciences*, 248 pp., Université Mohammed I, Morocco, 1991.

- Ramdani, M., G. Herquel, and B. Tadili, Etude du risque sismique au Maroc, in *Sci. de la Terre, Ser. Inf. Geol., No. 23*, 103-113 pp., Nancy, France, 1985.
- Ramdani, M., and B. A. Tadili, Deep crustal structure in Morocco, *Gerlands Beitrage zur Geophysik*, 97 (2), 137-143, 1988.
- Ramdani, M., B. Tadili, A. El Mouraouah, and L. Ait Brahim, Etude de la crise sismique de la région de Moulay Driss Zerhoun, in *Rapport Sismo CNR/N° 1/87*, Centre National de Coordination et de Planification de la Recherche Scientifique et Technique, 1987.
- Ramdani, M., B. Tadili, and T. El Mrabet, The present state of knowledge on historical seismicity of Morocco, in *Proceedings of the symposium on Calibration of Historical Earthquakes in Europe and Recent Developments in Intensity I interpretation, European Seismological Comission*, edited by Payo, G., C. Radu, and D. Postpischl, pp. 257-279, Madrid, 1989.
- Research Group for Lithospheric Structure in Tunisia, The EGT'85 seismic experiment in Tunisia: a reconnaissance of the deep structures, *Tectonophysics*, 207, 245-267, 1992.
- Rimi, A., Geothermal gradients and heat flow trends in Morocco, *Geothermics*, 19, 443-454, 1990.
- Schwarz, G., H.-G. Mehl, F. Ramdani, and V. Rath, Electrical resistivity structure of the eastern Moroccan Atlas system and its tectonic implications, in *Geol. Rundsch. (in press)*, 1991.
- Schwarz, G., and P.J. Wigger, Geophysical studies of the earth's crust and upper mantle in the Atlas system of Morocco, in *The Atlas System of Morocco*, edited by Jacobshagen, V., pp. 339-357, Springer-Verlag, Berlin, 1988.
- Schwarz, G., P.J. Wigger, G. Asch, S.O. El Alami, H.G. Mehl, F. Ramdani, and V. Rath, A geophysical traverse across the Atlas mountain system of Morocco: data and interpretation, in *Structure and Evolution of the Atlas Mountain System in Morocco, Abstract volume*, 18 pp., Berlin, 1990.
- Seber, D., M. Barazangi, B. A. Tadili, M. Ramdani, A. Ibenbrahim, D. Ben Sari, and S. O. El Alami, Sn to Sg conversion and focusing along the Atlantic margin, Morocco: Implications for earthquake hazard evaluation, *Geophy. Res. Lett.*, 20, 1503-1506, 1993.
- Tadili, B., Etude du risque sismique au Nord du Marco, in *Thèse Docteur Es-Sciences*, 229 pp., Universite Mohammed I, Morocco, 1991.
- Tadili, B. A., M. Ramdani, D. Ben-Sari, K. Chapochnikov, and A. Bellot, Crustal structure in northern Morocco, *Gerlands Beitrage zur Geophysik*, 95 (6), 477-485, 1986.

- Tadili, B., and M. Ramdani, Computer file of Moroccan earthquakes, *Bulletin of the Seismological Society of America*, 73, 653-654, 1983.
- Tadili, B., M. Ramdani, and L. Ait Brahim, Etude de l'activité sismique de la région de Missour, in *Rapport Sismo CNR/N°2/85*, Centre National de Coordination et de Planification de la Recherche Scientifique et Technique, 1985.
- Tadili, B., M. Ramdani, D. Ben Sari, K. Chapochnikov, and A. Bellot, Structure de la croûte dans le nord du Maroc, *Annales Geophysicae*, 4 (B1), 99-104, 1986.
- Tadili, B., M. Ramdani, D. Ben Sari, K. Chapochnikov, and A. Bellot, Structure of the crust in northern Morocco, *Annales Geophysicae, Series B: Terrestrial and Planetary Physics*, 4 (1), 99-104, 1986.
- Torne, M., G. Pascal, P. Buhl, A. B. Watts, and A. Mauffret, Crustal and velocity structure of the Valencia Trough (western Mediterranean); Part I, A combined refraction/wide-angle reflection and near-vertical reflection study, *Tectonophysics*, 203 (1-4), 1-20, 1992.
- Udías, A., A. López Arroyo, and J. Mezcuá, Seismotectonic of the Azores-Alboran region, *Tectonophysics*, 31, 259-289, 1976.
- Van Den Bosch, J.W.H., Mémoire explicatif de la carte gravimétrique du Maroc (provinces du Nord) au 1/500 000, in *Notes et Memoires du Service Geologique*, 219 pp., Editions du Service Geologique du Maroc, Rabat, 1981.
- Verzhbitsky, E.V., and V.G. Zolotarev, Heat flow and the Eurasian-African plate boundary in the eastern part of the Azores-Gibraltar fracture zone, *Journal of Geodynamics*, 11, 267-273, 1989.
- Watts, A. B., and M. Torne, Subsidence history, crustal structure, and thermal evolution of the Valencia Trough; a young extensional basin in the western Mediterranean, *Journal of Geophysical Research, B, Solid Earth and Planets*, 97 (13), 20,021-20,041, 1992.
- Weigel, W., G. Wissmann, and P. Goldflam, Deep seismic structure (Mauritania and Central Morocco), in *Geology of the Northwest African Continental Margin*, edited by von Rad, U., et al., pp. 132-159, Springer-Verlag, Berlin, 1982.
- Weijermars, R., In search for a relationship between harmonic resolutions of the geoid, convective stress patterns and tectonics in the lithosphere: a possible explanation for the Betic-Rif orocline, *Physics of the Earth and Planetary Interiors*, 37, 135-148, 1985.
- Westaway, R., Present-day kinematics of the plate boundary zone between Africa and Europe, from the Azores to the Aegean, *Earth Planet. Sci. Letters*, 96, 393-406, 1990.

- Wigger, P., G. Ash, P. Giese, W.-D. Heinshon, S.O. El Alami, and F. Ramdani, Crustal structure along a traverse across the Middle and High Atlas mountains derived from seismic refraction studies, in *Geol. Rundsch.* (*in press*), 1991.
- Wissmann, G., and U. von Rad, Seismic structure, continental basement, and Mesozoic sediments from the Mazagan Plateau off Morocco, *Meteor Forsch.-Ergebnisse*, 31, 1-20, 1979.
- Working Group for Deep Seismic Sounding in Spain, 1974-1975., Deep seismic soundings in southern Spain, *Pageoph.*, 115, 721-735, 1977.

Prof. Thomas Ahrens  
Seismological Lab, 252-21  
Division of Geological & Planetary Sciences  
California Institute of Technology  
Pasadena, CA 91125

Prof. Keiiti Aki  
Center for Earth Sciences  
University of Southern California  
University Park  
Los Angeles, CA 90089-0741

Prof. Shelton Alexander  
Geosciences Department  
403 Deike Building  
The Pennsylvania State University  
University Park, PA 16802

Dr. Thomas C. Bache, Jr.  
Science Applications Int'l Corp.  
10260 Campus Point Drive  
San Diego, CA 92121 (2 copies)

Prof. Muawia Barazangi  
Cornell University  
Institute for the Study of the Continent  
3126 SNEE Hall  
Ithaca, NY 14853

Dr. Douglas R. Baumgardt  
ENSCO, Inc  
5400 Port Royal Road  
Springfield, VA 22151-2388

Dr. T.J. Bennett  
S-CUBED  
A Division of Maxwell Laboratories  
11800 Sunrise Valley Drive, Suite 1212  
Reston, VA 22091

Dr. Robert Blandford  
AFTAC/TT, Center for Seismic Studies  
1300 North 17th Street  
Suite 1450  
Arlington, VA 22209-2308

Dr. Steven Bratt  
ARPA/NMRO  
3701 North Fairfax Drive  
Arlington, VA 22203-1714

Dale Breiding  
U.S. Department of Energy  
Recipient, IS-20, GA-033  
Office of Arms Control  
Washington, DC 20585

Dr. Jerry Carter  
Center for Seismic Studies  
1300 North 17th Street  
Suite 1450  
Arlington, VA 22209-2308

Mr Robert Cockerham  
Arms Control & Disarmament Agency  
320 21st Street North West  
Room 5741  
Washington, DC 20451,

Dr. Zoltan Der  
ENSCO, Inc.  
5400 Port Royal Road  
Springfield, VA 22151-2388

Dr. Stanley K. Dickinson  
AFOSR/NM  
110 Duncan Avenue  
Suite B115  
Bolling AFB, DC

Dr Petr Firbas  
Institute of Physics of the Earth  
Masaryk University Brno  
Jecna 29a  
612 46 Brno, Czech Republic

Dr. Mark D. Fisk  
Mission Research Corporation  
735 State Street  
P.O. Drawer 719  
Santa Barbara, CA 93102

Dr. Cliff Frolich  
Institute of Geophysics  
8701 North Mopac  
Austin, TX 78759

Dr. Holly Given  
IGPP, A-025  
Scripps Institute of Oceanography  
University of California, San Diego  
La Jolla, CA 92093

Dr. Jeffrey W. Given  
SAIC  
10260 Campus Point Drive  
San Diego, CA 92121

Dan N. Hagedon  
Pacific Northwest Laboratories  
Battelle Boulevard  
Richland, WA 99352



Dr. James Hannon  
Lawrence Livermore National Laboratory  
P.O. Box 808, L-205  
Livermore, CA 94550

Dr. Richard LaCoss  
MIT Lincoln Laboratory, M-200B  
P.O. Box 73  
Lexington, MA 02173-0073

Dr. Roger Hansen  
University of Colorado, JSPC  
Campus Box 583  
Boulder, CO 80309

Prof. Charles A. Langston  
Geosciences Department  
403 Deike Building  
The Pennsylvania State University  
University Park, PA 16802

Prof. Danny Harvey  
University of Colorado, JSPC  
Campus Box 583  
Boulder, CO 80309

Jim Lawson, Chief Geophysicist  
Oklahoma Geological Survey  
Oklahoma Geophysical Observatory  
P.O. Box 8  
Leonard, OK 74043-0008

Prof. Donald V. Helmberger  
Division of Geological & Planetary Sciences  
California Institute of Technology  
Pasadena, CA 91125

Prof. Thorne Lay  
Institute of Tectonics  
Earth Science Board  
University of California, Santa Cruz  
Santa Cruz, CA 95064

Prof. Eugene Herrin  
Geophysical Laboratory  
Southern Methodist University  
Dallas, TX 75275

Dr. William Leith  
U.S. Geological Survey  
Mail Stop 928  
Reston, VA 22092

Prof. Robert B. Herrmann  
Department of Earth & Atmospheric Sciences  
St. Louis University  
St. Louis, MO 63156

Mr. James F. Lewkowicz  
Phillips Laboratory/GPE  
29 Randolph Road  
Hanscom AFB, MA 01731-3010( 2 copies)

Prof. Lane R. Johnson  
Seismographic Station  
University of California  
Berkeley, CA 94720

Dr. Gary McCartor  
Department of Physics  
Southern Methodist University  
Dallas, TX 75275

Prof. Thomas H. Jordan  
Department of Earth, Atmospheric &  
Planetary Sciences  
Massachusetts Institute of Technology  
Cambridge, MA 02139

Prof. Thomas V. McEvilly  
Seismographic Station  
University of California  
Berkeley, CA 94720

Robert C. Kemerait  
ENSCO, Inc.  
445 Pineda Court  
Melbourne, FL 32940

Dr. Keith L. McLaughlin  
S-CUBED  
A Division of Maxwell Laboratory  
P.O. Box 1620  
La Jolla, CA 92038-1620

U.S. Dept of Energy  
Max Koontz, NN-20, GA-033  
Office of Research and Develop.  
1000 Independence Avenue  
Washington, DC 20585

Prof. Bernard Minster  
IGPP, A-025  
Scripps Institute of Oceanography  
University of California, San Diego  
La Jolla, CA 92093

Prof. Brian J. Mitchell  
Department of Earth & Atmospheric Sciences  
St. Louis University  
St. Louis, MO 63156

Dr. Chandan K. Saikia  
Woodward Clyde- Consultants  
566 El Dorado Street  
Pasadena, CA 91101

Mr. Jack Murphy  
S-CUBED  
A Division of Maxwell Laboratory  
11800 Sunrise Valley Drive, Suite 1212  
Reston, VA 22091 (2 Copies)

Mr. Dogan Seber  
Cornell University  
Inst. for the Study of the Continent  
3130 SNEE Hall  
Ithaca, NY 14853-1504

Dr. Keith K. Nakanishi  
Lawrence Livermore National Laboratory  
L-025  
P.O. Box 808  
Livermore, CA 94550

Secretary of the Air Force  
(SAFRD)  
Washington, DC 20330

Prof. John A. Orcutt  
IGPP, A-025  
Scripps Institute of Oceanography  
University of California, San Diego  
La Jolla, CA 92093

Office of the Secretary of Defense  
DDR&E  
Washington, DC 20330

Dr. Howard Patton  
Lawrence Livermore National Laboratory  
L-025  
P.O. Box 808  
Livermore, CA 94550

Thomas J. Sereno, Jr.  
Science Application Int'l Corp.  
10260 Campus Point Drive  
San Diego, CA 92121

Dr. Frank Pilotte  
HQ AFTAC/TT  
1030 South Highway A1A  
Patrick AFB, FL 32925-3002

Dr. Michael Shore  
Defense Nuclear Agency/SPSS  
6801 Telegraph Road  
Alexandria, VA 22310

Dr. Jay J. Pulli  
Radix Systems, Inc.  
6 Taft Court  
Rockville, MD 20850

Prof. David G. Simpson  
IRIS, Inc.  
1616 North Fort Myer Drive  
Suite 1050  
Arlington, VA 22209

Prof. Paul G. Richards  
Lamont-Doherty Earth Observatory  
of Columbia University  
Palisades, NY 10964

Dr. Jeffrey Stevens  
S-CUBED  
A Division of Maxwell Laboratory  
P.O. Box 1620  
La Jolla, CA 92038-1620

Mr. Wilmer Rivers  
Multimax Inc.  
1441 McCormick Drive  
Landover, MD 20785

Prof. Brian Stump  
Los Alamos National Laboratory  
EES-3  
Mail Stop C-335  
Los Alamos, NM 87545

Dr. Alan S. Ryall, Jr.  
Lawrence Livermore National Laboratory  
L-025  
P.O. Box 808  
Livermore, CA 94550

Prof. Tuncay Taymaz  
Istanbul Technical University  
Dept. of Geophysical Engineering  
Mining Faculty  
Maslak-80626, Istanbul Turkey

Prof. M. Nafi Toksoz  
Earth Resources Lab  
Massachusetts Institute of Technology  
42 Carleton Street  
Cambridge, MA 02142

Phillips Laboratory  
ATTN: TSML  
5 Wright Street  
Hanscom AFB, MA 01731-3004

Dr. Larry Turnbull  
CIA-OSWR/NED  
Washington, DC 20505

Phillips Laboratory  
ATTN: PL/SUL  
3550 Aberdeen Ave SE  
Kirtland, NM 87117-5776 (2 copies)

Dr. Karl Veith  
EG&G  
5211 Auth Road  
Suite 240  
Suitland, MD 20746

Dr. Michel Campillo  
Observatoire de Grenoble  
I.R.I.G.M.-B.P. 53  
38041 Grenoble, FRANCE

Prof. Terry C. Wallace  
Department of Geosciences  
Building #77  
University of Arizona  
Tuscon, AZ 85721

Prof. Hans-Peter Harjes  
Institute for Geophysics  
Ruhr University/Bochum  
P.O. Box 102148  
4630 Bochum 1, GERMANY

Dr. William Wortman  
Mission Research Corporation  
8560 Cinderbed Road  
Suite 700  
Newington, VA 22122

Prof. Eystein Husebye  
IFJF  
Jordskjelvstasjonen  
Allegaten 41, 5007 BERGEN NORWAY

ARPA, OASB/Library  
3701 North Fairfax Drive  
Arlington, VA 22203-1714

David Jepsen  
Acting Head, Nuclear Monitoring Section  
Bureau of Mineral Resources  
Geology and Geophysics  
G.P.O. Box 378, Canberra, AUSTRALIA

HQ DNA  
ATTN: Technical Library  
Washington, DC 20305

Ms. Eva Johannisson  
Senior Research Officer  
FOA  
S-172 90 Sundbyberg, SWEDEN

Defense Technical Information Center  
Cameron Station  
Alexandria, VA 22314 (2 Copies)

Dr. Peter Marshall  
Procurement Executive  
Ministry of Defense  
Blacknest, Brimpton  
Reading FG7-FRS, UNITED KINGDOM

TACTEC  
Battelle Memorial Institute  
505 King Avenue  
Columbus, OH 43201 (Final Report)

Dr. Bernard Massinon, Dr. Pierre Mechler  
Societe Radiomana  
27 rue Claude Bernard  
75005 Paris, FRANCE (2 Copies)

Phillips Laboratory  
ATTN: GPE  
29 Randolph Road  
Hanscom AFB, MA 01731-3010

Dr. Svein Mykkeltveit  
NTNT/NORSAR  
P.O. Box 51  
N-2007 Kjeller, NORWAY (3 Copies)

Dr. Jorg Schlittenhardt  
Federal Institute for Geosciences & Nat'l Res.  
Postfach 510153  
D-30631 Hannover , GERMANY

Dr. Johannes Schweitzer  
Institute of Geophysics  
Ruhr University/Bochum  
P.O. Box 1102148  
4360 Bochum 1, GERMANY

Trust & Verify  
VERTIC  
Carrara House  
20 Embankment Place  
London WC2N 6NN, ENGLAND